

I.D. PRO[®] Plus Wire Marker Printer



I.D. PRO Plus Printer

Part Number	Description
IDPRO-Plus	Printer (includes R7300 ribbon, battery pack, users manual, battery charger, and wrist/belt cord)

Features	I.D. PRO Plus Printer
Rechargeable battery pack	●
Easy-load ribbon cartridge	●
Prints labels and markers	●
Prints sleeves	●
Serialization	●
Max. label width	1.50"

ACCESSORIES

I.D. PRO Plus Printer Accessories

Part Number	Description
IDPRO-HC	Hard Side Carrying Case
IDPRO-BC12V	12-volt Battery Charger (plugs into auto cigarette lighter)
IDPRO-BP	Battery Pack
IDPRO-BC	Battery Charger
PCK-4	Printer Cleaning Kit (50 self-saturating swabs)

RIBBONS

I.D. PRO Plus Printer Ribbon

Part Number	Description
R5300	Black High-Performance Ribbon for PermaSleeve™ and DuraSleeve™ (Darker print, less smear resistant)

Introducing a more smear resistant ribbon

R7300	Black High-Performance Ribbon for all labels and BradySleeve™ (Lighter print, more smear resistant)
-------	---

The I.D. PRO Plus from Brady is the smallest, most affordable method available to print wire, outlet, face plate and component labels on site and on demand. Designed for versatility as well as portability, it can accommodate three different materials widths from .59 to 1.59. The self-adjusting printhead accepts a wide variety of labeling materials including self-laminating and vinyl cloth, plus BradySleeve™ and PermaSleeve™ heat shrink wire markers.

Now, the I.D. Pro Plus provides even more valuable flexibility with some exciting new features:

- ▶ 43% faster print speed
- ▶ Normal and bold type
- ▶ Automatic label serialization

The I.D. PRO Plus can print practically any wire, outlet, face plate and component marker required, without guesswork. Its LCD display previews the information to be printed.

And the palm-sized I.D. PRO Plus' rugged ergonomic design includes shock-absorbing bumpers to protect it from damage in the field.

- ▶ Weight 1.6 lbs.
- ▶ Shuttle head impact printer
- ▶ Two type sizes with normal and bold available
- ▶ Prints up to eight variable lines of text
- ▶ Two-line liquid crystal display (LCD), 16 characters wide
- ▶ Operating temperature range: 40°F to 120°F
- ▶ UL listed battery charger (120 VAC, 60 HZ input/9V DC 75 mA output)
- ▶ FCC class A approved
- ▶ Prints up to 250 labels between battery charges
- ▶ 6 month warranty
- ▶ Automatic label serialization



IDPRO-HC



IDPRO-BC12V

Brady LS2000 Labeling System



PORTABLE PRINTERS & LABELS

The Brady LS2000 is a portable labeling system designed for “on-demand” printing.

It features a stepper motor drive mechanism to accommodate fast label printing. The LS2000 also offers automatic loading/unloading. This feature prevents waste by allowing you to quickly align, print and remove labels.

The LS2000 prints both labels and sleeves. With one system, you can print labels in a wide range of stock sizes — making it ideal for labeling everything from tiny components to larger applications.

This system is also practical and easy to use. There are no complex programming procedures, so learning the software is fast and simple. It's also very easy to load labels or install new ribbon cartridges.

Efficient. Versatile. Precise. Easy to use. The LS2000 is one printer for all applications.

LS2000 Printer

Part Number	Description
LS2000	Printer (includes R5200 ribbon, battery pack, users' manual, battery charger, and wrist/belt cord)

Features	LS2000 Printer
Rechargeable battery pack	●
Easy-load ribbon cartridge	●
Prints labels and markers	●
Prints sleeves	●
Serialization	●
Upper- and lower-case type	●
Scalable type size	●
Stores lists	●
32K Memory	●
Downloads PC files	●
Max. label width	2.50"

- ▶ 32K RAM
- ▶ Weight: 7.0 lbs. (unit only)
- ▶ Shuttle head impact printer
- ▶ Scalable fonts
- ▶ Four-line liquid crystal display (LCD) with 20 characters per line
- ▶ Operating temperature range: 40°F to 100°F
- ▶ UL-listed AC adapter (120V, 60Hz input/12 VAC, 2A output)
- ▶ FCC Class A approved
- ▶ Prints over 500 labels before recharging is needed
- ▶ Full one-year warranty
- ▶ Patent Number 4,844,629.

ACCESSORIES

LS2000 Printer Accessories

Part Number	Description
LS2000-SC	Soft Side Carrying Case
LS2000-HC	Hard Side Carrying Case
LS2000-BC	Battery Charger
LS2000-BP	Battery Pack
LS2000-DTS	Download Package (3.5 disk only)

RIBBONS

LS2000 Printer Ribbons

Part Number	Description
R5200	Black High-Performance Ribbon for all Labels and Sleeves
R2200	Black Solvent-Resistant Ribbon for PCB Applications



LS2000-SC













LS2000-HC





LS2000-DTS

I.D. PRO PLUS / BRADY LS2000

Dot Matrix Portable Printer Material Chart

Type	Max. Service Temp. °F (°C)	Color	Finish	Use	Special Properties
NYLON CLOTH					
B-499	193 (90)	White	Matte	Low profile through-conduit wire marker	Low-profile; permanent adhesive; UL approved 
PAPER					
B-122	150 (66)	White	Matte	General labeling	Destroys on removal
POLYESTER					
B-619	311 (155)	White	Matte	Bar code labels	Solvent and heat resistant; CSA and UL approved  
B-620	311 (155)	White	Matte	Tag for outdoor or harsh environments	Solvent, heat, abrasion resistant
B-621	221 (105)	Clear	Matte	Computer-printable overlamine	Transparent write-on coating
B-969	311 (155)	Silver	Matte	Metallized permanent label	Print receptive; CSA and UL approved  
POLYIMIDE					
B-652	572 (300)	Amber	Matte	Top- or bottom-side board application for SMT or Through hole	Withstands extremely high temperatures
POLYOLEFIN					
B-319	221 (105)	White	Matte	Sleeve markers	Permanent, non-shrinkable
B-321	221 (105)	White/Yellow	Matte	Sleeve markers	Permanent, shrinkable
B-322	221 (105)	White/Yellow	Matte	Sleeve markers	Permanent, shrinkable, self-extinguishing
B-330	NA (NA)	White	Matte	Bundle, conduit and cable marking	Permanent, shrinkable; heat-activated adhesive
B-341	275 (135)	White	Matte	Wire marking	2-to-1 shrink ratio self-extinguishing sleeve;  meets MIL-I-23053/5 Class 1; MIL-M-81531; MIL-STD-202F; METHOD 215 and UL224
B-342	275 (135)	White/Yellow	Matte	Wire marking	3-to-1 shrink ratio self-extinguishing sleeve;  meets MIL-I-23053/5 Class 1; MIL-M-81531; MIL-STD-202F; METHOD 215 and UL224
POLYPROPYLENE					
B-389	212 (100)	White	Matte	Wire marking	Printable rigid inserts designed to be printed and affixed to a wire using carriers
TEDLAR® FILM					
B-632	266 (130)	White	Matte	Printable wire-marker	Self-extinguishing, smear-resistant
B-637	266 (130)	White/Yellow	Matte	Printable wire-marker	Self-extinguishing
VINYL					
B-292	150 (66)	White	Matte	Wire and cable labels	Heat and solvent resistant; conformable 
B-607	211 (100)	White	Matte	Non-removable applications	Tamper resistant; CSA and UL approved  
VINYL CLOTH					
B-502	180 (82)	White	Matte	General marking	Oil, water and humidity resistant; permanent or removable

Tedlar® is a registered trademark of DuPont.

	These materials are UL recognized.
	These materials are CSA approved.

UL and CSA approvals are based on use with R5300 ribbon.

I Index by Part Number

Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page
CL-105-499	50 x .275 (12.70 x 70)	44	CL-917-619	150 x 1.25 (38.10 x 31.75)	46	DMC-2.5/5-30	118 (30)	42
CL-105-502	50 x .275 (12.70 x 70)	44	CL-917-637	150 x 1.25 (38.10 x 31.75)	46	DMC-4/10-15	.59 (15)	42
CL-105-607	50 x .275 (12.70 x 70)	44	CL-917-969	150 x 1.25 (38.10 x 31.75)	46	DMC-4/10-30	118 (30)	42
CL-105-619	50 x .275 (12.70 x 70)	44	CL-0309-502	65 x .187 (16.51 x 4.75)	44	DMC-8/16-15	.59 (15)	42
CL-105-621	50 x .275 (12.70 x 70)	44	CL-0309-619	65 x .187 (16.51 x 4.75)	44	DMC-8/16-30	118 (30)	42
CL-105-652	50 x .275 (12.70 x 70)	44	CL-0309-652	65 x .187 (16.51 x 4.75)	44	DMIDP-105-389	.50 x .155 (12.70 x 3.93)	42
CL-105-969	50 x .275 (12.70 x 70)	44	CL-0311-619	80 x 20 (20.32 x 5.08)	44	DMIDP-105-389YL	.50 x .155 (12.70 x 3.93)	42
CL-111-122	50 x .275 (12.70 x 70)	44	CL-0311-652	80 x 20 (20.32 x 5.08)	44	DMIDP-111-389	100 x .155 (25.40 x 3.93)	42
CL-111-499	100 x .275 (25.40 x 70)	44	CL-0411-502	.75 x 25 (19.05 x 6.35)	44	DMIDP-111-389YL	100 x .155 (25.40 x 3.93)	42
CL-111-502	100 x .275 (25.40 x 70)	44	CL-0411-619	.75 x 25 (19.05 x 6.35)	44	ECL-107-502	.67 x .225 (17.02 x 5.72)	47
CL-111-607	100 x .275 (25.40 x 70)	44	CL-0411-652	.75 x 25 (19.05 x 6.35)	44	ECL-107-619	.67 x .225 (17.02 x 5.72)	47
CL-111-619	100 x .275 (25.40 x 70)	44	CL-0411-969	.75 x 25 (19.05 x 6.35)	44	ECL-107-652	.67 x .225 (17.02 x 5.72)	47
CL-111-619-BK	113 x 0.50 (28.702 x 12.70)	46	CL-0413-619	90 x 25 (22.86 x 6.35)	44	ECL-111-502	100 x .225 (25.40 x 5.72)	47
CL-111-621	100 x .275 (25.40 x 70)	44	CL-0413-652	90 x 25 (22.86 x 6.35)	44	ECL-111-619	100 x .225 (25.40 x 5.72)	47
CL-111-621-BK	113 x .50 (28.702 x 12.70)	46	CL-0423-502	150 x 25 (38.10 x 6.35)	44	ECL-111-652	100 x .225 (25.40 x 5.72)	47
CL-111-637	100 x .275 (25.40 x 70)	44	CL-0423-619	150 x 25 (38.10 x 6.35)	44	ECL-204-619	42 x .350 (10.67 x 8.89)	47
CL-111-652	100 x .275 (25.40 x 70)	44	CL-0423-652	150 x 25 (38.10 x 6.35)	44	ECL-204-652	42 x .350 (10.67 x 8.89)	47
CL-111-969	100 x .275 (25.40 x 70)	44	CL-0431-502	2.00 x .25 (50.80 x 6.35)	44	ECL-211-502	100 x .350 (25.40 x 8.89)	47
CL-111-969-BK	113 x .50 (28.702 x 12.70)	46	CL-0431-619	2.00 x .25 (50.80 x 6.35)	44	ECL-211-619	100 x .350 (25.40 x 8.89)	47
CL-117-499	150 x .275 (38.10 x 70)	44	CL-0431-652	2.00 x .25 (50.80 x 6.35)	44	ECL-311-502	100 x .475 (25.40 x 12.07)	47
CL-117-502	150 x .275 (38.10 x 70)	44	CL-0431-969	2.00 x .25 (50.80 x 6.35)	44	ECL-311-619	100 x .475 (25.40 x 12.07)	47
CL-117-619	150 x .275 (38.10 x 70)	44	CL-0615-502	100 x 40 (25.40 x 10.16)	44	PS-0231-094W	2.00 x .182 (50.80 x 4.62)	40
CL-117-621	150 x .275 (38.10 x 70)	44	CL-0615-619	100 x 40 (25.40 x 10.16)	45	PS-0231-094Y	2.00 x .182 (50.80 x 4.62)	40
CL-117-637	150 x .275 (38.10 x 70)	44	CL-0619-502	1.25 x .375 (31.75 x 9.53)	45	PS-0231-125W	2.00 x .235 (50.80 x 5.97)	40
CL-117-652	150 x .275 (38.10 x 70)	44	CL-0619-619	1.25 x .375 (31.75 x 9.53)	45	PS-0231-125Y	2.00 x .235 (50.80 x 5.97)	40
CL-117-969	150 x .275 (38.10 x 70)	44	CL-0619-969	1.25 x .375 (31.75 x 9.53)	45	PS-0331-187W	2.00 x .335 (50.80 x 8.51)	40
CL-211-499	100 x 40 (25.40 x 10.16)	44	CL-0623-621	1.50 x 40 (38.10 x 10.16)	45	PS-0331-187Y	2.00 x .335 (50.80 x 8.51)	40
CL-211-502	100 x 40 (25.40 x 10.16)	44	CL-0623-969	1.50 x 40 (38.10 x 10.16)	45	PS-0531-250W	2.00 x .439 (50.80 x 11.15)	40
CL-211-619	100 x 40 (25.40 x 10.16)	44	CL-0807-619	50 x .50 (12.70 x 12.70)	44	PS-0531-250Y	2.00 x .439 (50.80 x 11.15)	40
CL-211-621	100 x 40 (25.40 x 10.16)	44	CL-0807-969	50 x .50 (12.70 x 12.70)	44	PS-0831-375W	2.00 x .645 (50.80 x 16.38)	40
CL-211-637	100 x 40 (25.40 x 10.16)	44	CL-0815-502	100 x .50 (25.40 x 12.70)	45	PS-0831-375Y	2.00 x .645 (50.80 x 16.38)	40
CL-211-652	100 x 40 (25.40 x 10.16)	44	CL-0815-607	100 x .50 (25.40 x 12.70)	45	PS-1031-500W	2.00 x .851 (50.80 x 21.62)	40
CL-217-619	150 x 40 (38.10 x 10.16)	45	CL-0815-619	100 x .50 (25.40 x 12.70)	45	PS-1031-500Y	2.00 x .851 (50.80 x 21.62)	40
CL-217-621	150 x 40 (38.10 x 10.16)	45	CL-0815-969	100 x .50 (25.40 x 12.70)	45	PS-2231-1000W	2.00 x 1.66 (50.80 x 42.16)	40
CL-217-637	150 x 40 (38.10 x 10.16)	45	CL-0823-502	150 x .50 (38.10 x 12.70)	45	PS-2231-1000Y	2.00 x 1.66 (50.80 x 42.16)	40
CL-217-969	150 x 40 (38.10 x 10.16)	45	CL-1023-969-BK	163 x .75 (41.40 x 19.05)	46	PSBXP-111-125	100 x .235 (25.40 x 5.97)	40
CL-305-499	50 x .50 (12.70 x 12.70)	45	CL-1223-619	150 x .75 (38.10 x 19.05)	45	PSBXP-111-187	100 x .235 (25.40 x 5.97)	40
CL-305-502	50 x .50 (12.70 x 12.70)	45	CL-1223-621	150 x .75 (38.10 x 19.05)	45	PSBXP-114-125	1.25 x .235 (31.75 x 5.97)	40
CL-305-607	50 x .50 (12.70 x 12.70)	45	CL-1223-969	150 x .75 (38.10 x 19.05)	45	PSBXP-114-187	1.25 x .335 (31.75 x 8.51)	40
CL-305-619	50 x .50 (12.70 x 12.70)	45	CL-1429-619-BK	2.00 x 1.00 (50.80 x 25.40)	46	PSBXP-211-250	100 x .439 (25.40 x 11.15)	40
CL-305-652	50 x .50 (12.70 x 12.70)	45	CL-1429-969-BK	2.00 x 1.00 (50.80 x 25.40)	46	PSBXP-214-250	1.25 x .439 (31.75 x 11.15)	40
CL-305-969	50 x .50 (12.70 x 12.70)	45	CL-1631-502	2.00 x 1.00 (50.80 x 25.40)	46	PSBXP-311-375	100 x .645 (25.40 x 16.38)	40
CL-311-122	100 x .50 (25.40 x 12.70)	45	CL-1631-619	2.00 x 1.00 (50.80 x 25.40)	46	PSBXP-314-375	1.25 x .645 (31.75 x 16.38)	40
CL-311-499	100 x .50 (25.40 x 12.70)	45	CL-2023-619	1.50 x 1.25 (38.10 x 31.75)	46	PSBXP-411-500	100 x .851 (25.40 x 21.62)	40
CL-311-502	100 x .50 (25.40 x 12.70)	45	CL-2439-502	2.50 x 1.50 (63.50 x 38.10)	46	PSBXP-414-500	1.25 x .851 (31.75 x 21.62)	40
CL-311-607	100 x .50 (25.40 x 12.70)	45	CL-2439-502-YL	2.50 x 1.50 (63.50 x 38.10)	46	PSIDP-111-125	100 x .235 (25.40 x 6.00)	40
CL-311-619	100 x .50 (25.40 x 12.70)	45	CL-2439-619	2.50 x 1.50 (63.50 x 38.10)	46	PSIDP-111-125Y	100 x .235 (25.40 x 6.00)	40
CL-311-621	100 x .50 (25.40 x 12.70)	45	CL-2439-969	2.50 x 1.50 (63.50 x 38.10)	46	PSIDP-111-187	100 x .335 (25.40 x 8.50)	40
CL-311-637	100 x .50 (25.40 x 12.70)	45	CLSL-111-502	100 x .50 (25.40 x 12.70)	47	PSIDP-111-187Y	100 x .335 (25.40 x 8.50)	40
CL-311-652	100 x .50 (25.40 x 12.70)	45	CLWO-217-3	150 x .75 (38.10 x 19.05)	47	PSIDP-211-250	100 x .439 (25.40 x 11.20)	40
CL-311-969	100 x .50 (25.40 x 12.70)	45	CLWO-217-6	150 x .50 (38.10 x 12.70)	47	PSIDP-211-250Y	100 x .439 (25.40 x 11.20)	40
CL-317-122	100 x .50 (25.40 x 12.70)	45	CLWO-217-607	163 x .75 (41.40 x 19.05)	47	PSIDP-311-375	100 x .645 (25.40 x 16.40)	40
CL-317-499	100 x .50 (25.40 x 12.70)	45	CLWO-217-7	150 x .50 (38.10 x 12.70)	47	PSIDP-311-375Y	100 x .645 (25.40 x 16.40)	40
CL-317-502	100 x .50 (25.40 x 12.70)	45	CLWO-217-969	163 x .75 (41.40 x 19.05)	47	PSIDP-411-500	100 x .851 (25.40 x 21.60)	40
CL-317-619	100 x .50 (25.40 x 12.70)	45	CLWO-317-1	150 x .50 (38.10 x 12.70)	47	PSIDP-411-500Y	100 x .851 (25.40 x 21.60)	40
CL-317-619-BK	163 x .75 (41.402 x 19.05)	46	CLWO-317-2	150 x .50 (38.10 x 12.70)	47	PSL-1833-619-BK	2.25 X 1.25 (57.15 x 31.75)	43
CL-317-621	150 x .50 (38.10 x 12.70)	45	CLWO-317-4	150 x .50 (38.10 x 12.70)	47	PSL-1833-969-BK	2.25 X 1.25 (57.15 x 31.75)	43
CL-317-621-BK	163 x .75 (41.402 x 19.05)	46	CLWO-317-5	150 x .50 (38.10 x 12.70)	47	PSL-311-122	100 x .50 (25.40 x 12.70)	43
CL-317-637	150 x .50 (38.10 x 12.70)	45	DMI-105-389	50 x .155 (12.70 x 3.93)	42	PSL-311-619	100 x .50 (25.40 x 12.70)	43
CL-317-969-BK	163 x .75 (41.402 x 19.05)	46	DMI-105-389YL	50 x .155 (12.70 x 3.93)	42	PSL-311-969	100 x .50 (25.40 x 12.70)	43
CL-517-122	100 x .75 (25.40 x 19.50)	45	DMI-111-389	100 x .155 (25.40 x 3.93)	42	PSL-514-122	1.25 x .75 (31.75 x 19.05)	43
CL-517-619	100 x .75 (25.40 x 19.50)	45	DMI-111-389YL	100 x .155 (25.40 x 3.93)	42	PSL-514-619	1.25 x .75 (31.75 x 19.05)	43
CL-517-621	100 x .75 (25.40 x 19.50)	45	DMI-117-389	150 x .155 (38.10 x 3.93)	42	PSL-514-969	1.25 x .75 (31.75 x 19.05)	43
CL-517-637	100 x .75 (25.40 x 19.50)	45	DMI-117-389YL	150 x .155 (38.10 x 3.93)	42	TB03-502-281	.281 x 35 ft (714 x 10.5m)	43
CL-517-969	100 x .75 (25.40 x 19.50)	45	DMC-1.3/3.0-15	.59 (15)	42	TB03-502-312	.312 x 35 ft (792 x 10.5m)	43
CL-917-122	150 x 1.25 (38.10 x 31.75)	45	DMC-1.3/3.0-30	118 (30)	42	TB05-502-375	.375 x 35 ft (9.53 x 10.5m)	43
			DMC-2.5/5-15	.59 (15)	42	VMIL-117-502-PF	150 x .275 (38.10 x 7.00)	39

I.D. PRO[®] Plus, Brady LS2000, BradyMarker XC Plus Labels


PRINTER MODEL

PRO = ID PRO/PRO Plus

LS = LS2000


BMXC = BradyMarker XC Plus

ALL = All Portable Printers



PORTABLE PRINTERS & LABELS

CABLE MARKING LABELS



PART NUMBER EXPLANATION:

Most Brady part numbers for portable printer labels follow the same three-part format:

The first code indicates the application, the second part is a number indicating the die size used (where applicable), the third part indicates the Brady material used.

Self-Laminating White/Transparent Vinyl (B-292)

Part Number	Portable Printer Model	Labels Per Roll	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height C	Maximum Lines of Print + (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Small (PRO/LS)
WML-511-292	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-OR**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-GR**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-PL**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-BL**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-BR**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-RD**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-YL**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-511-292-GY**	ALL	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4/5	7/7	10/15
WML-517-292	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-OR**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-GR**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-PL**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-BL**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-BR**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-RD**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-YL**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-517-292-GY**	ALL	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4/5	10/11	15/23
WML-711-292	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-OR**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-GR**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-PL**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-BL**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-BR**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-RD**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-YL**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-711-292-GY**	ALL	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6/7	7/7	10/15
WML-717-292	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-OR**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-GR**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-PL**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-BL**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-BR**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-RD**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-YL**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-717-292-GY**	ALL	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6/7	10/11	15/23
WML-1215-292	LS	250	1.00 (25.40)	2.25 (57.15)	0.75 (19.05)	6	7	15
WML-1215-292-25	LS	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	6	7	15
WML-1223-292	LS	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	6	11	23
WML-1231-292-22	LS	250	2.00 (50.80)	2.25 (57.15)	0.75 (19.05)	6	15	31
WML-1231-292-30	LS	100	2.00 (50.80)	3.00 (76.20)	0.75 (19.05)	6	15	31

♦ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

****OR=orange, GR=green, GY=grey, PL=purple, BL=blue, BR=brown, YL=yellow, RD=red.**
Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.


I.D. PRO PLUS / BRADY LS2000 CABLE MARKING LABELS

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL

- PRO** = ID PRO/PRO Plus
- LS** = LS2000
- BMXC** = BradyMarker XC Plus
- ALL** = All Portable Printers




CABLE MARKING LABELS CONTINUED

Self-Laminating White/Transparent Vinyl (B-292)

Part Number	Portable Printer Model	Labels Per Roll	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height C	Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
WML-2431-292-60	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-OR*	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-GR*	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-PL*	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-BL**	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-BR**	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-YL**	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-RD**	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-60-GY**	LS	75	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	12	15	31
WML-2431-292-75	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-OR**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-GR**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-PL**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-BL**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-BR**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-YL**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-RD**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31
WML-2431-292-75-GY**	LS	75	2.00 (50.80)	7.50 (190.50)	1.50 (38.10)	12	15	31

****OR=orange, GR=green, GY=grey, PL=purple, BL=blue, BR=brown, YL=yellow, RD=red.**
Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.



White or Yellow Tedlar® Film (B-637)

Part Number	Portable Printer Model	Roll Length Ft. (m)	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print	Maximum Characters Across Large	Maximum Characters Across Small
WRCM-711-637W*	LS/BMXC	50 (15)	1.00 (25.40)	Continuous	9	7	15
WRCM-711-637Y*	LS/BMXC	50 (15)	1.00 (25.40)	Continuous	9	7	15
WRCM-717-637W*	LS/BMXC	50 (15)	1.50 (38.10)	Continuous	9	11	23
WRCM-717-637Y*	LS/BMXC	50 (15)	1.50 (38.10)	Continuous	9	11	23

Tedlar® is a registered trademark of DuPont.
 *Roll-form cable marking. Cut to length.

White or Yellow Polyolefin (B-330)


Part Number	Portable Printer Model	Roll Length Ft. (m)	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print	Maximum Characters Across Large	Maximum Characters Across Small
WRCM-717-330W*	LS/BMXC	45 (13.50)	1.50 (38.10)	Continuous	7	11	23
WRCM-717-330Y*	LS/BMXC	45 (13.50)	1.50 (38.10)	Continuous	7	11	23

*Roll-form cable marking. Cut to length.

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL
PRO = ID PRO/PRO Plus
LS = LS2000
BMXC = BradyMarker XC Plus
ALL = All Portable Printers



WIRE MARKING LABELS

Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height C	Maximum Lines Of Print PRO/LS	Maximum Characters Across Large PRO/LS	Maximum Characters Across Small PRO/LS
6 to 10 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .26" (6.60 mm)									
WML-905-502	ALL	250	Vinyl Cloth	0.50 (12.70)	1.25 (31.75)	N/A	8/10	3/3	4/7
WML-905-499	ALL	250	Nylon Cloth	0.50 (12.70)	1.25 (31.75)	N/A	8/9	3/3	4/7
WML-905-632	ALL	250	Tedlar®	0.50 (12.70)	1.25 (31.75)	N/A	8/9	3/3	4/7
WML-2007-502	LS	250	Vinyl Cloth	0.50 (12.70)	1.25 (31.75)	N/A	10	3	7
WML-305-292	ALL	250	Self-Laminating Vinyl	0.50 (12.70)	1.25 (31.75)	0.50 (12.70)	3/4	3/3	4/7
WML-0807-292	LS	250	Self-Laminating Vinyl	0.50 (12.70)	1.25 (31.75)	0.50 (12.70)	4	3	7
WML-2411-502	LS	250	Vinyl Cloth	0.80 (20.32)	1.50 (38.10)	N/A	12	5	11
WML-0811-292	LS	250	Self-Laminating Vinyl	0.80 (20.32)	1.50 (38.10)	0.50 (12.70)	4	5	11
WML-911-499	ALL	250	Nylon Cloth	1.00 (25.40)	1.25 (31.75)	N/A	8/9	7/7	10/15
WML-911-502	ALL	250	Vinyl Cloth	1.00 (25.40)	1.25 (31.75)	N/A	8/10	7/7	10/15
WML-911-632	ALL	250	Tedlar	1.00 (25.40)	1.25 (31.75)	N/A	8/9	7/7	10/15
WML-2015-502	LS	250	Vinyl Cloth	1.00 (25.40)	1.25 (31.75)	N/A	10	7	15
WML-311-292	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-OR**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-GR**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-PL**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-BL**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-BR**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-YL**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-RD**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-311-292-GY**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3/4	7/7	10/15
WML-0815-292	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	4	7	15
WML-917-499	ALL	250	Nylon Cloth	1.50 (38.10)	1.25 (31.75)	N/A	8/9	10/11	15/23
WML-917-502	ALL	250	Vinyl Cloth	1.50 (38.10)	1.25 (31.75)	N/A	8/9	10/11	15/23
WML-317-292	ALL	250	Self-Laminating Vinyl	1.50 (38.10)	1.25 (31.75)	0.50 (12.70)	3/4	10/11	15/23
WML-0823-292	LS	250	Self-Laminating Vinyl	1.50 (38.10)	1.25 (31.75)	0.50 (12.70)	4	11	23
10 to 12 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .21" (5.30 mm)									
WML-705-499	ALL	250	Nylon Cloth	0.50 (12.70)	1.00 (25.40)	N/A	6/7	3/3	4/7
WML-705-502	ALL	250	Vinyl Cloth	0.50 (12.70)	1.00 (25.40)	N/A	6/8	3/3	4/7
WML-705-632	ALL	250	Tedlar	0.50 (12.70)	1.00 (25.40)	N/A	6/7	3/3	4/7
WML-1607-502	LS	250	Vinyl Cloth	0.50 (12.70)	1.00 (25.40)	N/A	8	3	7
WML-205-292-1	ALL	250	Self-Laminating Vinyl	0.50 (12.70)	1.00 (25.40)	.375 (9.53)	2/3	3/3	4/7
WML-0607-292-1	LS	250	Self-Laminating Vinyl	0.50 (12.70)	1.00 (25.40)	.375 (9.53)	3	3	7
WML-711-499	ALL	250	Nylon Cloth	1.00 (25.40)	1.00 (25.40)	N/A	6/7	7/7	10/15
WML-711-502	ALL	250	Vinyl Cloth	1.00 (25.40)	1.00 (25.40)	N/A	6/8	7/7	10/15
WML-711-632	ALL	250	Tedlar	1.00 (25.40)	1.00 (25.40)	N/A	6/7	7/7	10/15
WML-211-292-1	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-1-OR*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-1-GR*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-1-PL*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-1-BL*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-1-BR*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-1-YL*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-1-RD*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15

♦ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

Tedlar® is a registered trademark of DuPont.

****OR=orange, GR=green, GY=grey, PL=purple, BL=blue, BR=brown, YL=yellow, RD=red.**
Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.

PORTABLE PRINTERS & LABELS


I.D. PRO PLUS / BRADY LS2000 WIRE MARKING LABELS

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL

- PRO** = ID PRO/PRO Plus
- LS** = LS2000
- BMXC** = BradyMarker XC Plus
- ALL** = All Portable Printers



WIRE MARKING LABELS CONTINUED

Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height C	Maximum Lines Of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
10 to 12 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .21" (5.30 mm) cont.									
WML-211-292-1-GY*	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2/3	7/7	10/15
WML-0615-292-1	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-OR*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-GR*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-PL*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-BL*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-BR*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-YL*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-RD*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-0615-292-1-GY*	LS	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	3	7	15
WML-1615-502	LS	250	Vinyl Cloth	1.00 (25.40)	1.00 (25.40)	N/A	8	7	15
10 to 16 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .16" (4.10 mm)									
WML-505-499	ALL	250	Nylon Cloth	0.50 (12.70)	0.75 (19.05)	N/A	4/8	3/3	4/7
WML-505-502	ALL	250	Vinyl Cloth	0.50 (12.70)	0.75 (19.05)	N/A	4/8	3/3	4/7
WML-505-632	ALL	250	Tedlar®	0.50 (12.70)	0.75 (19.05)	N/A	4/8	3/3	4/7
WML-1207-502	LS	250	Vinyl Cloth	0.50 (12.70)	0.75 (19.05)	N/A	8	3	7
WML-1207-632	LS	250	Tedlar	0.50 (12.70)	0.75 (19.05)	N/A	8	3	7
WML-205-292-75	ALL	250	Self-Laminating Vinyl	0.50 (12.70)	0.75 (19.05)	.375 (9.53)	2/3	3/3	4/7
WML-0607-292-75	LS	250	Self-Laminating Vinyl	0.50 (12.70)	0.75 (19.05)	.375 (9.53)	3	3	7
WML-511-499	ALL	250	Nylon Cloth	1.00 (25.40)	0.75 (19.05)	N/A	4/5	7/7	10/15
WML-511-502	ALL	250	Vinyl Cloth	1.00 (25.40)	0.75 (19.05)	N/A	4/8	7/7	10/15
WML-511-632	ALL	250	Tedlar	1.00 (25.40)	0.75 (19.05)	N/A	4/5	7/7	10/15
WML-211-292-75	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-OR**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-GR**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-PL**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-BL**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-BR**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-YL**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-RD**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-211-292-75-GY**	ALL	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2/3	7/7	10/15
WML-1215-502	LS	250	Vinyl Cloth	1.00 (25.40)	0.75 (19.05)	N/A	8	7	15
WML-0615-292-75	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-0615-292-75-OR**	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-0615-292-75-GR**	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-0615-292-75-BL**	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-0615-292-75-BR**	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-0615-292-75-YL**	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-0615-292-75-RD**	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-0615-292-75-GY**	LS	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	3	7	15
WML-517-499	ALL	250	Nylon Cloth	1.50 (38.10)	0.75 (19.05)	N/A	4/5	10/11	15/23
WML-517-502	ALL	250	Vinyl Cloth	1.50 (38.10)	0.75 (19.05)	N/A	4/5	10/11	15/23
16 to 22 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .11" (2.80 mm)									
WML-305-499	ALL	500	Nylon Cloth	0.50 (12.70)	0.50 (12.70)	N/A	3/3	3/3	4/7
WML-305-502	ALL	500	Vinyl Cloth	0.50 (12.70)	0.50 (12.70)	N/A	3/4	3/3	4/7
WML-305-632	ALL	500	Tedlar	0.50 (12.70)	0.50 (12.70)	N/A	3/4	3/3	4/7
WML-0807-502	LS	500	Vinyl Cloth	0.50 (12.70)	0.50 (12.70)	N/A	4	3	7

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.


Tedlar® is a registered trademark of DuPont.

****OR=orange, GR=green, GY=grey, PL=purple, BL=blue, BR=brown, YL=yellow, RD=red.**
Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL	
PRO	= ID PRO/PRO Plus
LS	= LS2000
BMXC	= BradyMarker XC Plus
ALL	= All Portable Printers



PORTABLE PRINTERS & LABELS

MULTIPLE-ACROSS WIRE MARKING STRIPS


White Vinyl Cloth (B-502), White/Transparent Self-Laminating Vinyl (B-292), Nylon Cloth (B-499)

Part Number	Marker Size Code	Quantity Per Roll Strips/Sets	Number of Strips Across	Marker Strip Inch (mm) A	Dimension B	Write-On Height C	Wire Gauge*	Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
WML-205-292-2S	ALL	500/250	2	0.50 (12.70)	0.75 (19.05)	0.40 (10.16)	10 to 14	2/2	3/3	4/7
WML-305-292-2S	ALL	500/250	2	0.50 (12.70)	1.25 (31.75)	0.52 (13.21)	6 to 10	3/3	3/3	4/3
WML-308-292-2S	ALL	500/250	2	0.75 (19.05)	1.25 (31.75)	0.50 (12.70)	6 to 10	3/3	5/5	7/11
WML-505-499-2S	ALL	500/250	2	0.50 (12.70)	0.75 (19.05)	N/A	10 to 14	4/5	3/5	4/7
WML-505-502-2S	ALL	500/250	2	0.50 (12.70)	0.75 (19.05)	N/A	10 to 14	4/5	3/5	4/7
WML-508-502-2S	ALL	500/250	2	0.75 (19.05)	0.75 (19.05)	N/A	10 to 16	4/5	5/5	7/11
WML-905-499-2S	ALL	500/250	2	0.50 (12.70)	1.25 (31.75)	N/A	6 to 10	8/9	3/3	4/7
WML-905-502-2S	ALL	500/250	2	0.50 (12.70)	1.25 (31.75)	N/A	6 to 10	8/9	3/3	4/7
WML-502-502-2S	LS/BMXC	500/250	2	0.25 (6.35)	0.75 (19.05)		10 to 14	5	1	3
WML-502-502-4S	LS/BMXC	1000/250	4	0.25 (6.35)	0.75 (19.05)		10 to 14	5	1	3
WML-902-502-2S	LS/BMXC	500/250	2	0.25 (6.35)	1.25 (31.75)		6 to 10	9	1	3
WML-902-502-4S	LS/BMXC	1000/250	4	0.25 (6.35)	1.25 (31.75)		6 to 10	9	1	3
WML-1207-502-2S	LS	500/250	2	0.50 (12.70)	0.75 (19.05)		10 to 14	8	3	7
WML-2007-502-2S	LS	500/250	2	0.50 (12.70)	1.25 (31.75)		10 to 14	10	3	7
WML-202-292-4S	LS/BMXC	1000/250	4	0.25 (6.35)	0.75 (19.05)	0.40 (10.16)	10 to 14	2	1	3
WML-302-292-4S	LS/BMXC	1000/250	4	0.25 (6.35)	1.25 (31.75)	0.52 (13.21)	6 to 10	3	1	3

*Based on THHN wire.

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label. Tedlar® is a registered trademark of DuPont.

TEMPORARY WIRE MARKER FLAG



Removable Vinyl Cloth (B-502)

Part Number	Portable Printer Model	Labels Per Roll	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
WML-117-502-PF	ALL	500	1.50 (38.10)	.275 (7.00)	1/1	10/11	15/23

▲ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

I.D. PRO PLUS / BRADY LS2000 WIRE MARKING LABELS


I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PORTABLE PRINTERS & LABELS

PRINTER MODEL

- PRO** = ID PRO/PRO Plus
- LS** = LS2000
- BMXC** = BradyMarker XC Plus
- ALL** = All Portable Printers



PERMASLEEVE™ WIRE MARKING SLEEVES

Heat-Shrink White Polyolefin (B-342)

Part Number	Portable Printer Model	Sleeves Per Roll	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge*	Sleeve Dimension Inch (mm)		Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large Small (PRO/LS)	
			Min.	Max.		A	B			
100" Marker Width										
PSIDP-111-125	ALL	100	.046 (1.17)	.110 (2.79)	22-16	1.00 (25.40)	.235 (6.00)	1/1	8/7	11/15
PSIDP-111-187	ALL	100	.062 (1.57)	.150 (3.81)	18-12	1.00 (25.40)	.335 (8.50)	1/1	8/7	11/15
PSIDP-211-250	ALL	100	.094 (2.39)	.215 (5.46)	16-10	1.00 (25.40)	.439 (11.20)	2/2	8/7	11/15
PSIDP-311-375	ALL	100	.125 (3.18)	.320 (8.13)	12-6	1.00 (25.40)	.645 (16.40)	3/3	8/7	11/15
PSIDP-411-500	ALL	100	.187 (4.75)	.450 (11.43)	8-1	1.00 (25.40)	.851 (21.60)	4/4	8/7	11/15
PSBXP-111-125	LS/BMXC	500	.046 (1.17)	.110 (2.79)	22-16	1.00 (25.40)	.235 (5.97)	1	7	15
PSBXP-111-187	LS/BMXC	500	.062 (1.57)	.150 (3.81)	18-12	1.00 (25.40)	.335 (8.51)	1	7	15
PSBXP-211-250	LS/BMXC	500	.094 (2.39)	.215 (5.46)	16-10	1.00 (25.40)	.439 (11.15)	2	7	15
PSBXP-311-375	LS/BMXC	250	.125 (3.18)	.320 (8.13)	12-6	1.00 (25.40)	.645 (16.38)	3	7	15
PSBXP-411-500	LS/BMXC	250	.187 (4.75)	.450 (11.43)	8-1	1.00 (25.40)	.851 (21.62)	4	7	15
125" Marker Width										
PSBXP-114-125	LS/BMXC	500	.046 (1.17)	.110 (2.79)	22-16	1.25 (31.75)	.235 (5.97)	1	10	19
PSBXP-114-187	LS/BMXC	500	.062 (1.57)	.150 (3.81)	18-12	1.25 (31.75)	.335 (8.51)	1	10	19
PSBXP-214-250	LS/BMXC	500	.094 (2.39)	.215 (5.46)	16-10	1.25 (31.75)	.439 (11.15)	2	10	19
PSBXP-314-375	LS/BMXC	250	.125 (3.18)	.320 (8.13)	12-6	1.25 (31.75)	.645 (16.38)	3	10	19
PSBXP-414-500	LS/BMXC	250	.187 (4.75)	.450 (11.43)	8-1	1.25 (31.75)	.851 (21.62)	4	10	19
2.00" Marker Width										
PS-0231-094W	LS	500	.047 (1.19)	.080 (2.03)	18-16	2.00 (50.80)	.182 (4.62)	1	15	31
PS-0231-125W	LS	500	.046 (1.17)	.110 (2.79)	22-16	2.00 (50.80)	.235 (5.97)	1	15	31
PS-0331-187W	LS	500	.062 (1.57)	.150 (3.81)	18-12	2.00 (50.80)	.335 (8.51)	1	15	31
PS-0531-250W	LS	500	.094 (2.39)	.215 (5.46)	16-10	2.00 (50.80)	.439 (11.15)	2	15	31
PS-0831-375W	LS	250	.125 (3.18)	.320 (8.13)	12-6	2.00 (50.80)	.645 (16.38)	4	15	31
PS-1031-500W	LS	250	.187 (4.75)	.450 (11.43)	8-1	2.00 (50.80)	.851 (21.62)	5	15	31
PS-2231-1000W**	LS	100	.450 (11.43)	.950 (24.13)	1-500	2.00 (50.80)	1.66 (42.16)	11	15	31

Heat-Shrink Yellow Polyolefin (B-342)

Part Number	Portable Printer Model	Sleeves Per Roll	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge*	Sleeve Dimension Inch (mm)		Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large Small (PRO/LS)	
			Min.	Max.		A	B			
100" Marker Width										
PSIDP-111-125Y	ALL	100	.046 (1.17)	.110 (2.79)	22-16	1.00 (25.40)	.235 (6.00)	1/1	8/15	11/31
PSIDP-111-187Y	ALL	100	.062 (1.57)	.150 (3.81)	18-12	1.00 (25.40)	.335 (8.50)	1/1	8/15	11/31
PSIDP-211-250Y	ALL	100	.094 (2.39)	.215 (5.46)	16-10	1.00 (25.40)	.439 (11.20)	2/2	8/15	11/31
PSIDP-311-375Y	ALL	100	.125 (3.18)	.320 (8.13)	12-6	1.00 (25.40)	.645 (16.40)	3/3	8/15	11/31
PSIDP-411-500Y	ALL	100	.187 (4.75)	.450 (11.43)	8-1	1.00 (25.40)	.851 (21.60)	4/4	8/15	11/31
PS-0231-094Y	LS	500	.023 (0.58)	.080 (2.03)	28-18	2.00 (50.80)	0.182 (4.62)	1	15	31
PS-0231-125Y	LS	500	.046 (1.17)	.110 (2.79)	22-16	2.00 (50.80)	0.235 (5.97)	1	15	31
PS-0331-187Y	LS	500	.062 (1.57)	.150 (3.81)	18-12	2.00 (50.80)	0.335 (8.51)	1	15	31
PS-0531-250Y	LS	500	.094 (2.39)	.215 (5.46)	16-10	2.00 (50.80)	0.439 (11.15)	2	15	31
PS-0831-375Y	LS	250	.125 (3.18)	.320 (8.13)	12-6	2.00 (50.80)	0.645 (16.38)	4	15	31
PS-1031-500Y	LS	250	.187 (4.75)	.450 (11.43)	8-1	2.00 (50.80)	0.851 (21.62)	5	15	31
PS-2231-1000Y**	LS	100	.450 (11.43)	.950 (24.13)	1-500	2.00 (50.80)	1.66 (42.16)	5	15	31

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

**Material is B-341


*Based on National Electric Code insulation measurement of THHN wire.

I.D. PRO PLUS / BRADY LS2000 WIRE MARKING SLEEVES

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL	
PRO	= ID PRO/PRO Plus
LS	= LS2000
BMXC	= BradyMarker XC Plus
ALL	= All Portable Printers



BRADYSLEEVE™ WIRE MARKING SLEEVES

WMS Series – Non-Shrink White Polyolefin (B-319)

Part Number	Portable Printer Model	Sleeves Per Roll	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge*	Sleeve Dimension Inch (mm)		Maximum Lines of Print † (PRO/LS)	Maximum Characters Across	
			Min.	Max.		A	B		Large (PRO/LS)	Small (PRO/LS)
WMS-105-319	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	0.50 (12.70)	0.35 (8.90)	1/1	3/3	4/7
WMS-111-319	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	1.00 (25.40)	0.35 (8.90)	1/1	7/7	10/15
WMS-117-319	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	1.50 (38.10)	0.35 (8.90)	1/1	10/11	15/23
WMS-205-319	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	0.50 (12.70)	0.50 (12.70)	2/2	3/3	4/7
WMS-211-319	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	1.00 (25.40)	0.50 (12.70)	2/2	7/7	10/15
WMS-217-319	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	1.50 (38.10)	0.50 (12.70)	2/2	10/11	15/23
WMS-411-319	ALL	500	.235 (5.97)	.375 (9.50)	3-6	1.00 (25.40)	0.75 (19.05)	4/4	7/7	10/15
WMS-417-319	ALL	500	.235 (5.97)	.375 (9.50)	3-6	1.50 (38.10)	0.75 (19.05)	4/4	10/11	15/23
WMS-611-319	ALL	250	.375 (9.50)	.540 (13.72)	2/0-2	1.00 (25.40)	1.00 (25.40)	6/6	7/7	10/15
WMS-617-319	ALL	250	.375 (9.50)	.540 (13.72)	2/0-2	1.50 (38.10)	1.00 (25.40)	6/6	10/11	15/23

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

*Based on National Electric Code insulation measurement of THHN wire.

WMS Series – Heat-Shrink White Polyolefin (B-321)

Part Number	Portable Printer Model	Sleeves Per Roll	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge*	Sleeve Dimension Inch (mm)		Maximum Lines of Print † (PRO/LS)	Maximum Characters Across	
			Min.	Max.		A	B		Large (PRO/LS)	Small (PRO/LS)
WMS-105-321	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	0.50 (12.70)	0.35 (8.90)	1/1	3/3	4/7
WMS-111-321	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	1.00 (25.40)	0.35 (8.90)	1/1	7/7	10/15
WMS-117-321	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	1.50 (38.10)	0.35 (8.90)	1/1	10/11	15/23
WMS-205-321	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	0.50 (12.70)	0.50 (12.70)	2/2	3/3	4/7
WMS-211-321	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	1.00 (25.40)	0.50 (12.70)	2/2	7/7	10/15
WMS-217-321	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	1.50 (38.10)	0.50 (12.70)	2/2	10/11	15/23
WMS-411-321	ALL	500	.235 (5.97)	.375 (9.50)	3-6	1.00 (25.40)	0.75 (19.05)	4/4	7/7	10/15
WMS-417-321	ALL	500	.235 (5.97)	.375 (9.50)	3-6	1.50 (38.10)	0.75 (19.05)	4/4	10/11	15/23
WMS-611-321	ALL	250	.375 (9.50)	.540 (13.72)	2/0-2	1.00 (25.40)	1.00 (25.40)	6/6	7/7	10/15
WMS-617-321	ALL	250	.375 (9.50)	.540 (13.72)	2/0-2	1.50 (38.10)	1.00 (25.40)	6/6	10/11	15/23

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

*Based on National Electric Code insulation measurement of THHN wire.

WMS Series – Self-Extinguishing White Polyolefin (B-322)

Part Number	Portable Printer Model	Sleeves Per Roll	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge*	Sleeve Dimension Inch (mm)		Maximum Lines of Print † (PRO/LS)	Maximum Characters Across	
			Min.	Max.		A	B		Large (PRO/LS)	Small (PRO/LS)
WMS-105-322	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	0.50 (12.70)	0.35 (8.90)	1/1	3/3	4/7
WMS-111-322	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	1.00 (25.40)	0.35 (8.90)	1/1	7/7	10/15
WMS-117-322	ALL	500	.075 (1.90)	0.130 (3.30)	12-18	1.50 (38.10)	0.35 (8.90)	1/1	10/11	15/23
WMS-205-322	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	0.50 (12.70)	0.50 (12.70)	2/2	3/3	4/7
WMS-211-322	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	1.00 (25.40)	0.50 (12.70)	2/2	7/7	10/15
WMS-217-322	ALL	500	0.130 (3.30)	.235 (5.97)	8-10	1.50 (38.10)	0.50 (12.70)	2/2	10/11	15/23
WMS-411-322	ALL	500	.235 (5.97)	.375 (9.50)	3-6	1.00 (25.40)	0.75 (19.05)	4/4	7/7	10/15
WMS-417-322	ALL	500	.235 (5.97)	.375 (9.50)	3-6	1.50 (38.10)	0.75 (19.05)	4/4	10/11	15/23
WMS-611-322	ALL	250	.375 (9.50)	.540 (13.72)	2/0-2	1.00 (25.40)	1.00 (25.40)	6/6	7/7	10/15
WMS-617-322	ALL	250	.375 (9.50)	.540 (13.72)	2/0-2	1.50 (38.10)	1.00 (25.40)	6/6	10/11	15/23

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

*Based on National Electric Code insulation measurement of THHN wire.


I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PORTABLE PRINTERS & LABELS

PRINTER MODEL

- PRO** = ID PRO/PRO Plus
- LS** = LS2000
- BMXC** = BradyMarker XC Plus
- ALL** = All Portable Printers



DURASLEEVE™ WIRE MARKING INSERTS

Polypropylene Inserts (B-389)

Part Number	Portable Printer Model	Inserts Per Roll	Insert Dimension Inch (mm)		Maximum Lines of Print	Maximum Characters Across Small
			A	B		
DMIDP-105-389	PRO	100	0.50 (12.70)	.155 (3.93)	1	4
DMIDP-105-389YL*	PRO	100	0.50 (12.70)	.155 (3.93)	1	4
DMIDP-111-389	PRO	100	1.00 (25.40)	.155 (3.93)	1	10
DMIDP-111-389YL*	PRO	100	1.00 (25.40)	.155 (3.93)	1	10
0.50" (12.7mm) Insert Width						
DMI-105-389	LS	500	0.50 (12.70)	.155 (3.93)	1	7
DMI-105-389YL*	LS	500	0.50 (12.70)	.155 (3.93)	1	7
1.00" (12.7mm) Insert Width						
DMI-111-389	LS	500	1.00 (25.40)	.155 (3.93)	1	15
DMI-111-389YL*	LS	500	1.00 (25.40)	.155 (3.93)	1	15
1.50" (38.1mm) Insert Width						
DMI-117-389	LS	500	1.50 (38.10)	.155 (3.93)	1	23
DMI-117-389YL*	LS	500	1.50 (38.10)	.155 (3.93)	1	23

*Yellow product is designated with a "YL" at the end of the part number.

DURASLEEVE™ WIRE MARKING CARRIERS

Part Number	Carrier Length Inches (mm)	Wire O.D. Inches (mm)	Type THHN Approximate Wire Gauge	Carriers per Box
DMC-1.3/3-15	.59 (15)	.051 (1.3) – .118 (3.0)	20 – 12	1000
DMC-1.3/3-30	1.18 (30)			500
DMC-2.5/5-15	.59 (15)	.098 (2.5) – .197 (5.0)	16 – 10	1000
DMC-2.5/5-30	1.18 (30)			500
DMC-4/10-15	.59 (15)	.157 (4.0) – .393 (10.0)	10 – 4	500
DMC-4/10-30	1.18 (30)			200
DMC-8/16-15	.59 (15)	.315 (8.0) – .630 (16.0)	6 – 250	500
DMC-8/16-30	1.18 (30)			200


WIRE MARKING SLEEVES

I.D. PRO PLUS / BRADY LS2000

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL
PRO = ID PRO/PRO Plus
LS = LS2000
BMXC = BradyMarker XC Plus
ALL = All Portable Printers



BRADYTAG™ PRINTABLE TAGS

White Polyester (B-620)



Part Number	Portable Printer Model	Tags Per Roll	Tag Dimension Inch (mm)		Maximum Lines of Print (LS/BMXC)	Maximum Characters Across Large Small	
			A	B		(LS/BMXC)	(LS/BMXC)
WMT-313-620	LS/BMXC	500	1.75 (44.45)	0.625 (15.875)	3/3	8/8	17/17
WMT-713-620	LS/BMXC	250	1.75 (44.45)	1.125 (28.575)	7/7	8/8	17/17

TERMINAL BLOCK MARKERS

White Vinyl Cloth (B-502)

Part Number	Portable Printer Model	Roll Length Ft. (m)	Label Width Inch (mm)		Label Height Inch (mm)		Maximum Lines of Print	Maximum Characters Across Large Small	
			A	B	A	B		Large	Small
TB03-502-281	LS	35 (10.5)	0.281 (7.14)	Continuous	1	1	3		
TB03-502-312	LS	35 (10.5)	0.312 (7.92)	Continuous	1	1	3		
TB05-502-375	LS	35 (10.5)	0.375 (9.53)	Continuous	1	2	5		

*First two digits of size code may change, depending on number of lines you need on your marker.
 (Example: entering 0403 would give you 4 lines of half height or 2 lines of normal height print.)




PERMASHIELD™ LABELS

White Paper (B-122), White Polyester (B-619), Metallized Polyester (B-969)

Part Number	Portable Printer Model	Labels Per Roll	Marker Label Material	Label Width Inch (mm)		Label Height Inch (mm)		Overlaminates Inch (mm)	Dimensions D	Maximum Lines of Print (PRO/LS)	Maximum Characters Across Large Small	
				A	B	A	B				(PRO/LS)	(PRO/LS)
PSL-311-122	ALL	250	Paper	1.00 (25.40)	0.50 (12.70)	1.06 (26.92)	0.75 (19.05)	0.75 (19.05)	3/3	7/7	10/15	
PSL-311-619	ALL	250	Polyester	1.00 (25.40)	0.50 (12.70)	1.06 (26.92)	0.75 (19.05)	0.75 (19.05)	3/3	7/7	10/15	
PSL-311-969	ALL	250	Metallized Polyester	1.00 (25.40)	0.50 (12.70)	1.06 (26.92)	0.75 (19.05)	0.75 (19.05)	3/3	7/7	10/15	
PSL-514-122	LS	250	Paper	1.25 (31.75)	0.75 (19.05)	1.50 (38.10)	1.00 (25.40)	1.00 (25.40)	5	9	19	
PSL-514-619	LS	250	Polyester	1.25 (31.75)	0.75 (19.05)	1.50 (38.10)	1.00 (25.40)	1.00 (25.40)	5	9	19	
PSL-514-969	LS	250	Metallized Polyester	1.25 (31.75)	0.75 (19.05)	1.50 (38.10)	1.00 (25.40)	1.00 (25.40)	5	9	19	
PSL-1833-619-BK	LS	250	Polyester	2.25 (57.15)	1.25 (31.75)	2.50 (63.50)	1.50 (38.10)	1.50 (38.10)	9	16	33	
PSL-1833-969-BK	LS	250	Metallized Polyester	2.25 (57.15)	1.25 (31.75)	2.50 (63.50)	1.50 (38.10)	1.50 (38.10)	9	16	33	

♦ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.



PORTABLE PRINTERS & LABELS

BRADYTAG PRINTABLE TAGS


I.D. PRO PLUS / BRADY LS2000

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL

- PRO** = ID PRO/PRO Plus
- LS** = LS2000
- BMXC** = BradyMarker XC Plus
- ALL** = All Portable Printers



For use on components in control panels, electronic components and circuit boards, faceplates and electronic receptacles.



COMPONENT AND GENERAL IDENTIFICATION LABELS


Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
CL-105-499	ALL	500	Nylon Cloth	0.50 (12.70)	.275 (7.0)	1/1	3/3	4/7
CL-105-502	ALL	500	Vinyl Cloth	0.50 (12.70)	.275 (7.0)	1/1	3/3	4/7
CL-105-607	ALL	500	Tamper-Proof Vinyl	0.50 (12.70)	.275 (7.0)	1/1	3/3	4/7
CL-105-619	ALL	500	Polyester	0.50 (12.70)	.275 (7.0)	1/1	3/3	4/7
CL-105-621	ALL	500	Translucent Polyester	0.50 (12.70)	.275 (7.0)	1/1	3/3	4/7
CL-105-652	ALL	500	Polyimide	0.50 (12.70)	.275 (7.0)	1/1	3/3	4/7
CL-105-969	ALL	500	Metallized Polyester	0.50 (12.70)	.275 (7.0)	1/1	3/3	4/7
CL-0807-619	LS	500	Polyester	0.50 (12.70)	0.50 (12.70)	4	3	7
CL-0807-969	LS	500	Metallized Polyester	0.50 (12.70)	0.50 (12.70)	4	3	7
CL-0309-502	LS	500	Vinyl Cloth	0.65 (16.51)	0.187 (4.75)	1	4	9
CL-0309-619	LS	500	Polyester	0.65 (16.51)	0.187 (4.75)	1	4	9
CL-0311-619	LS	500	Polyester	0.80 (20.32)	0.20 (5.08)	1	5	11
CL-0311-652	LS	500	Polyimide Film	0.80 (20.32)	0.20 (5.08)	1	5	11
CL-0411-502	LS	500	Vinyl Cloth	0.75 (19.05)	0.25 (6.35)	2	5	11
CL-0411-619	LS	500	Polyester	0.75 (19.05)	0.25 (6.35)	2	5	11
CL-0411-652	LS	500	Polyimide Film	0.75 (19.05)	0.25 (6.35)	2	5	11
CL-0411-969	LS	500	Metallized Polyester	0.75 (19.05)	0.25 (6.35)	2	5	11
CL-0413-619	LS	500	Polyester	0.90 (22.86)	0.25 (6.35)	2	6	13
CL-0413-652	LS	500	Polyimide	0.90 (22.86)	0.25 (6.35)	2	6	13
CL-111-122	ALL	500	Paper	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-499	ALL	500	Nylon Cloth	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-502	ALL	500	Vinyl Cloth	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-607	ALL	500	Tamper-Proof Vinyl	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-619	ALL	500	Polyester	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-621	ALL	500	Translucent Polyester	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-637	ALL	500	Tedlar®	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-652	ALL	500	Polyimide	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-111-969	ALL	500	Metallized Polyester	1.00 (25.40)	.275 (7.0)	1/1	7/7	10/15
CL-0423-502	LS	500	Vinyl Cloth	1.50 (38.10)	0.25 (6.35)	2	11	23
CL-0423-619	LS	500	Polyester	1.50 (38.10)	0.25 (6.35)	2	11	23
CL-0423-652	LS	500	Polyimide Film	1.50 (38.10)	0.25 (6.35)	2	11	23
CL-117-499	ALL	500	Nylon Cloth	1.50 (38.10)	.275 (7.0)	1/1	10/11	15/23
CL-117-502	ALL	500	Vinyl Cloth	1.50 (38.10)	.275 (7.0)	1/1	10/11	15/23
CL-117-619	ALL	500	Polyester	1.50 (38.10)	.275 (7.0)	1/1	10/11	15/23
CL-117-621	ALL	500	Translucent Polyester	1.50 (38.10)	.275 (7.0)	1/1	10/11	15/23
CL-117-637	ALL	500	Tedlar	1.50 (38.10)	.275 (7.0)	1/1	10/11	15/23
CL-117-652	ALL	500	Polyimide	1.50 (38.10)	.275 (7.0)	1/1	10/11	15/23
CL-117-969	ALL	500	Metallized Polyester	1.50 (38.10)	.275 (7.0)	1/1	10/11	15/23
CL-0431-502	LS	500	Vinyl Cloth	2.00 (50.80)	0.25 (6.35)	2	15	31
CL-0431-619	LS	500	Polyester	2.00 (50.80)	0.25 (6.35)	2	15	31
CL-0431-652	LS	500	Polyimide Film	2.00 (50.80)	0.25 (6.35)	2	15	31
CL-0431-969	LS	500	Metallized Polyester	2.00 (50.80)	0.25 (6.35)	2	15	31
CL-211-499	ALL	500	Nylon Cloth	1.00 (25.40)	0.40 (10.16)	2/2	7/7	10/15
CL-211-502	ALL	500	Vinyl Cloth	1.00 (25.40)	0.40 (10.16)	2/2	7/7	10/15
CL-211-619	ALL	500	Polyester	1.00 (25.40)	0.40 (10.16)	2/2	7/7	10/15
CL-211-621	ALL	500	Translucent Polyester	1.00 (25.40)	0.40 (10.16)	2/2	7/7	10/15
CL-211-637	ALL	500	Tedlar	1.00 (25.40)	0.40 (10.16)	2/2	7/7	10/15
CL-211-652	ALL	500	Polyimide	1.00 (25.40)	0.40 (10.16)	2/2	7/7	10/15
CL-0615-502	LS	500	Vinyl Cloth	1.00 (25.40)	0.40 (10.16)	3	7	15

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL	
PRO	= ID PRO/PRO Plus
LS	= LS2000
BMXC	= BradyMarker XC Plus
ALL	= All Portable Printers



PORTABLE PRINTERS & LABELS

COMPONENT AND GENERAL IDENTIFICATION LABELS CONTINUED

Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
CL-0615-619	LS	500	Polyester	1.00 (25.40)	0.40 (10.16)	3	7	15
CL-0619-502	LS	500	Vinyl Cloth	1.25 (31.75)	0.375 (9.53)	3	9	19
CL-0619-619	LS	500	Polyester	1.25 (31.75)	0.375 (9.53)	3	9	19
CL-0619-969	LS	500	Metallized Polyester	1.25 (31.75)	0.375 (9.53)	3	9	19
CL-0623-621	LS	500	Translucent Polyester	1.50 (38.10)	0.40 (10.16)	3	11	23
CL-0623-969	LS	500	Metallized Polyester	1.50 (38.10)	0.40 (10.16)	3	11	23
CL-217-619	ALL	500	Polyester	1.50 (38.10)	0.40 (10.16)	2/3	10/11	15/23
CL-217-621	ALL	500	Translucent Polyester	1.50 (38.10)	0.40 (10.16)	2/3	10/11	15/23
CL-217-637	ALL	500	Tedlar	1.50 (38.10)	0.40 (10.16)	2/3	10/11	15/23
CL-217-969	ALL	500	Metallized Polyester	1.50 (38.10)	0.40 (10.16)	2/3	10/11	15/23
CL-305-499	ALL	500	Nylon Cloth	0.50 (12.70)	0.50 (12.70)	3/3	3/3	4/7
CL-305-502	ALL	500	Vinyl Cloth	0.50 (12.70)	0.50 (12.70)	3/3	3/3	4/7
CL-305-607	ALL	500	Tamper-Proof Vinyl	0.50 (12.70)	0.50 (12.70)	3/3	3/3	4/7
CL-305-619	ALL	500	Polyester	0.50 (12.70)	0.50 (12.70)	3/3	3/3	4/7
CL-305-652	ALL	500	Polyimide	0.50 (12.70)	0.50 (12.70)	3/3	3/3	4/7
CL-305-969	ALL	500	Metallized Polyester	0.50 (12.70)	0.50 (12.70)	3/3	3/3	4/7
CL-311-122	ALL	500	Paper	1.00 (25.40)	0.50 (12.70)	3/3	7/7	10/15
CL-311-499	ALL	500	Nylon Cloth	1.00 (25.40)	0.50 (12.70)	3/3	7/7	10/15
CL-311-502	ALL	500	Vinyl Cloth	1.00 (25.40)	0.50 (12.70)	3/3	7/7	10/15
CL-311-607	ALL	500	Tamper-Proof Vinyl	1.00 (25.40)	0.50 (12.70)	3/3	7/7	10/15
CL-311-619	ALL	500	Polyester	1.00 (25.40)	0.50 (12.70)	3/4	7/7	10/15
CL-311-621	ALL	500	Translucent Polyester	1.00 (25.40)	0.50 (12.70)	3/4	7/7	10/15
CL-311-637	ALL	500	Tedlar®	1.00 (25.40)	0.50 (12.70)	3/4	7/7	10/15
CL-311-652	ALL	500	Polyimide	1.00 (25.40)	0.50 (12.70)	3/4	7/7	10/15
CL-311-969	ALL	500	Metallized Polyester	1.00 (25.40)	0.50 (12.70)	3/4	7/7	10/15
CL-0815-502	LS	500	Vinyl Cloth	1.00 (25.40)	0.50 (12.70)	4	7	15
CL-0815-607	LS	500	Tamper-Proof Vinyl	1.00 (25.40)	0.50 (12.70)	4	7	15
CL-0815-619	LS	500	Polyester	1.00 (25.40)	0.50 (12.70)	4	7	15
CL-0815-969	LS	500	Metallized Polyester	1.00 (25.40)	0.50 (12.70)	4	7	15
CL-317-122	ALL	500	Paper	1.50 (38.10)	0.50 (12.70)	3/3	10/11	10/23
CL-317-499	ALL	500	Nylon Cloth	1.50 (38.10)	0.50 (12.70)	3/3	10/11	15/23
CL-317-502	ALL	500	Vinyl Cloth	1.50 (38.10)	0.50 (12.70)	3/4	10/11	15/23
CL-317-619	ALL	500	Polyester	1.50 (38.10)	0.50 (12.70)	3/4	10/11	15/23
CL-317-621	ALL	500	Translucent Polyester	1.50 (38.10)	0.50 (12.70)	3/4	10/11	15/23
CL-317-637	ALL	500	Tedlar	1.50 (38.10)	0.50 (12.70)	3/4	10/11	15/23
CL-0823-502	LS	500	Vinyl Cloth	1.50 (38.10)	0.50 (12.70)	4	11	23
CL-0823-619	LS	500	Polyester	1.50 (38.10)	0.50 (12.70)	4	11	23
CL-511-122	ALL	250	Paper	1.00 (25.40)	0.75 (19.05)	4/5	7/7	10/15
CL-517-122	ALL	250	Paper	1.50 (38.10)	0.75 (19.05)	4/5	10/11	15/23
CL-517-619	ALL	250	Polyester	1.50 (38.10)	0.75 (19.05)	4/8	10/11	15/23
CL-517-621	ALL	250	Translucent Polyester	1.50 (38.10)	0.75 (19.05)	4/8	10/11	15/23
CL-517-637	ALL	250	Tedlar	1.50 (38.10)	0.75 (19.05)	4/5	10/11	15/23
CL-517-969	ALL	250	Metallized Polyester	1.50 (38.10)	0.75 (19.05)	4/8	10/11	15/23
CL-1223-619	LS	250	Polyester	1.50 (38.10)	0.75 (19.05)	8	11	23
CL-1223-621	LS	250	Translucent Polyester	1.50 (38.10)	0.75 (19.05)	8	11	23
CL-1223-969	LS	250	Metallized Polyester	1.50 (38.10)	0.75 (19.05)	8	11	23
CL-917-122	ALL	250	Paper	1.50 (38.10)	1.25 (31.75)	8/9	10/11	15/23

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label. Tedlar® is a registered trademark of DuPont.

I.D. PRO PLUS / BRADY LS2000 COMPONENT AND GENERAL ID LABELS


I.D. PRO® Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PORTABLE PRINTERS & LABELS

PRINTER MODEL

- PRO** = ID PRO/PRO Plus
- LS** = LS2000
- BMXC** = BradyMarker XC Plus
- ALL** = All Portable Printers



For use on components in control panels, electronic components and circuit boards, faceplates and electronic receptacles.




COMPONENT AND GENERAL IDENTIFICATION LABELS

CONTINUED

Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
CL-917-619	ALL	250	Polyester	1.50 (38.10)	1.25 (31.75)	8/8	10/11	15/23
CL-917-637	ALL	250	Tedlar	1.50 (38.10)	1.25 (31.75)	8/9	10/11	15/23
CL-917-969	ALL	250	Metallized Polyester	1.50 (38.10)	1.25 (31.75)	8/9	10/11	15/23
CL-1631-502	LS	250	Vinyl Cloth	2.00 (50.80)	1.00 (25.40)	8	15	31
CL-1631-619	LS	250	Polyester	2.00 (50.80)	1.00 (25.40)	8	15	31
CL-2023-619	LS	250	Polyester	1.50 (38.10)	1.25 (31.75)	8	11	23
CL-2439-502	LS	250	Vinyl Cloth	2.50 (63.50)	1.50 (38.10)	12	19	39
CL-2439-502YL	LS	250	Yellow Vinyl Cloth	2.50 (63.50)	1.50 (38.10)	12	19	39
CL-2439-619	LS	250	Polyester	2.50 (63.50)	1.50 (38.10)	12	19	39
CL-2439-969	LS	250	Metallized Polyester	2.50 (63.50)	1.50 (38.10)	12	19	39

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label. Tedlar® is a registered trademark of DuPont.



Labels designed for use in control panels to identify motors, starters, relays, contractors, etc.

CONTROL PANEL IDENTIFICATION LABELS

1/16" Black-Bordered Identification CL - BK Series

Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print † (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
CL-111-619-BK	ALL	500	Polyester	1.13 (28.702)	0.50 (12.70)	1/1	7/7	10/15
CL-111-621-BK	ALL	500	Translucent Polyester	1.13 (28.702)	0.50 (12.70)	1/1	7/7	10/15
CL-111-969-BK	ALL	500	Metallized Polyester	1.13 (28.702)	0.50 (12.70)	1/1	7/7	10/15
CL-317-619-BK	ALL	250	Polyester	1.63 (41.402)	0.75 (19.05)	3/3	10/11	15/23
CL-317-621-BK	ALL	250	Translucent Polyester	1.63 (41.402)	0.75 (19.05)	3/3	10/11	15/23
CL-317-969-BK	ALL	250	Metallized Polyester	1.63 (41.402)	0.75 (19.05)	3/5	10/11	15/23
CL-1023-969-BK	LS	250	Metallized Polyester	1.63 (41.402)	0.75 (19.05)	5	11	23
CL-1429-619-BK	LS	250	Polyester	2.00 (50.80)	1.00 (25.40)	7	14	29
CL-1429-969-BK	LS	250	Metallized Polyester	2.00 (50.80)	1.00 (25.40)	7	14	29

† I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

I.D. PRO PLUS / BRADY LS2000 COMPONENT AND GENERAL ID LABELS

I.D. PRO[®] Plus, Brady LS2000, BradyMarker XC Plus Labels

CONTINUED

PRINTER MODEL


PRO = ID PRO/PRO Plus

LS = LS2000

BMXC = BradyMarker XC Plus

ALL = All Portable Printers

PRE-PRINTED LABELS




Vinyl Cloth (B-502), Tamper-Evident Vinyl (B-607), Metallized Polyester (B-969)

Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print ▲ ↓ (PRO/LS)	Maximum Characters Across Large Small (PRO/LS) (PRO/LS)	Pre-Printed Legends	Print Color
CLWO-317-1	ALL	500	Vinyl Cloth	1.50 (38.10)	0.75 (19.05)	3/3	10/11 15/23	REJECTED	Red
CLWO-317-2	ALL	500	Vinyl Cloth	1.50 (38.10)	0.75 (19.05)	3/3	10/11 15/23	ACCEPTED	Green
CLWO-217-3	ALL	500	Vinyl Cloth	1.50 (38.10)	0.75 (19.05)	2/2	10/11 15/23	CALIBRATION	Green
CLWO-317-4	ALL	500	Vinyl Cloth	1.50 (38.10)	0.75 (19.05)	3/3	10/11 15/23	TESTED	Green
CLWO-317-5	ALL	500	Vinyl Cloth	1.50 (38.10)	0.75 (19.05)	3/3	10/11 15/23	INSPECTED	Black
CLWO-217-6	ALL	500	Vinyl Cloth	1.50 (38.10)	0.50 (12.70)	2/2	10/11 15/23	INPUT NO.	Black
CLWO-217-7	ALL	500	Vinyl Cloth	1.50 (38.10)	0.50 (12.70)	2/2	10/11 15/23	OUTPUT NO.	Black
CLSL-111-502	ALL	500	Vinyl Cloth	1.00 (25.40)	0.50 (12.70)	1/1	7/7 10/15	STATIC SENSITIVE	Black
CLWO-217-607	ALL	250	Vinyl	1.63 (41.40)	0.75 (19.05)	2/2	10/11 15/23	PROPERTY TAG	Black
CLWO-217-969	ALL	250	Metallized Polyester	1.63 (41.40)	0.75 (19.05)	2/2	10/11 15/23	PROPERTY TAG	Black

♦ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

ELECTRONIC COMPONENT LABELS



White Vinyl Cloth (B-502), White Polyester (B-619), Amber Polyimide (B-652)

Part Number	Marker Size Code	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print (LS/BMXC)	Maximum Characters Across Large Small (LS/BMXC) (LS/BMXC)
ECL-107-502	LS/BMXC	750	Vinyl Cloth	0.67 (17.02)	.225 (5.72)	1/1	4/4 9/9
ECL-107-619	LS/BMXC	750	Polyester	0.67 (17.02)	.225 (5.72)	1/1	4/4 9/9
ECL-107-652	LS/BMXC	750	Polyimide	0.67 (17.02)	.225 (5.72)	1/1	4/4 9/9
ECL-111-502	LS/BMXC	750	Vinyl Cloth	1.00 (25.40)	.225 (5.72)	1/1	7/7 15/15
ECL-111-619	LS/BMXC	750	Polyester	1.00 (25.40)	.225 (5.72)	1/1	7/7 15/15
ECL-111-652	LS/BMXC	750	Polyimide	1.00 (25.40)	.225 (5.72)	1/1	7/7 15/15
ECL-204-619	LS/BMXC	750	Polyester	0.42 (10.67)	.350 (8.89)	2/2	2/2 5/5
ECL-204-652	LS/BMXC	750	Polyimide	0.42 (10.67)	.350 (8.89)	2/2	2/2 5/5
ECL-211-502	LS/BMXC	750	Vinyl Cloth	1.00 (25.40)	.350 (8.89)	2/2	7/7 15/15
ECL-211-619	LS/BMXC	750	Polyester	1.00 (25.40)	.350 (8.89)	2/2	7/7 15/15
ECL-311-502	LS/BMXC	500	Vinyl Cloth	1.00 (25.40)	.475 (12.07)	3/3	7/7 15/15
ECL-311-619	LS/BMXC	500	Polyester	1.00 (25.40)	.475 (12.07)	3/3	7/7 15/15

PORTABLE PRINTERS & LABELS

I.D. PRO PLUS / BRADY LS2000 PRE-PRINTED LABELS