Labelizer®PLUS & VersaPrinter™ Tapes







Tapes for the Labelizer® PLUS and VersaPrinter™ machines are still manufactured and fully stocked...the full range is shown on the next 3 pages.



▶ Indoor/Outdoor Vinyl Tape (B-580 material)

- Adheres to pipes, walls, equipment, windows most clean, dry surfaces
- Conforms well to irregular, curved or rough surfaces
- Ideal for general purpose industrial uses stands up to grease, oil and most industrial chemicals
- Five-year average outdoor durability in temperatures from 180°F to -40°F (82°C to -40°C) and can be applied as low as 0°F (-18°C)

Description		Catalog	Number	
Tape Cartridges	No. Per Pkg.	Black	CLEAR White	CLEAR /Red/
½" x 90'	2	64624	64628	64632
11/8" x 90'	2	64625	64629	64633
21/4" x 90'	1	64626	64630	64634
4" x 90'	1	64627	64631	64635



Description		Catalog	Number												
Tape Cartridges	No. Per Pkg.	Black	Black	White	White	Red	White	Black	Magenta	Black	Black	White	White	White	White
1⁄2" x 90'	2	64687	64810	64814	64818	64790	64822	64826	64794	64830	64878	64882		64890	64894
1½" x 90'	2	64688	64811	64815	64819	64791	64823	64827	64795	64831	64879	64883	64887	64891	64895
21/4" x 90'	1	64689	64812	64816	64820	64792	64824	64828	64796	64832	64880	64884	64888	64892	64896
3" x 90'	1	_	64210	_	_	_	_	64209	_	_	_	_	_	_	_
4" x 90'	1	64690	64813	64817	64821	64793	64825	64829	64797	64833	64881	64885	64889	64893	64897

▶ Hi-Performance Polyester Tape (B-569 material)

- Specially designed with a low halide content best choice for use on stainless steel and nickel piping
- Applies best to smooth surfaces
- Has the same durability characteristics of the B-580 Indoor/Outdoor Vinyl Tape above

Description		Catalog	Number									
Tape	No. P	e <u>r</u>						CLEAR	CLEAR	CLEAR		
Cartridges	Pkg.	Black	Magenta	White	White	White	White	White	Black	∕Red⁄/	Black	Red
½" x 110'	2	64326	64304	64330	64334	64338	64308	64342	64346	64350	64354	64358
11/8" x 110'	2	64327	64305	64331	64335	64339	64309	64343	64347	64351	64355	64359
21/4" x 110'	1	64328	64306	64332	64336	64340	64310	64344	64348	64352	64356	64360
4" x 110'	1	64329	64307	64333	64337	64341	64311	64345	64349	64353	64357	64361





Labelizer® Plus & VersaPrinter Specialty Tapes



▶ Right-to-Know Labels

- Cartridge mounted die-cut labels are easy to peel and apply
- NFPA or Color Bar Format available in paper
- Use 2,000 chemical database in Markware Software, or create from scratch

Overlaminates for RTK Labels-B-674

Size	Quantity Per Pkg.	Catalog Number
1½" x 2½"	50	64984
2½" x 2½"	50	58476
3½" x 5½"	50	58706
4½" x 6½"	50	64985
7½" x 10½"	50	58708

Protect your printed labels with a pressure sensitive polyester overlaminate.

Catalog Number

				•	•		
		NFPA	NFPA	*Color	**Color	Color Bar	Labels Per
	Size	Diamond	S panish	Bar	Bar	Spanish	Cartridge
B-545 Paper:	2" x 2"	64955	64093	64957	64113	64105	400
	3" <u>x 5"</u>	64959	64094	64961	64114	64106	200
	3 ³ / ₄ " x 6"	64963	64095	64965	64115	64107	200
	7" <u>x 10"</u>	64967	64096	64969	64116	64108	50
	1" Square NFPA	64971	64971	_	_	_	600
	2½" Square NFPA	64973	64973	_	_	_	300
B-580 Vinyl:	2" x 2"	64956	64097	64958	64117	64109	400
	3" x 5"	64960	64098	64962	64118	64110	200
	3 ³ / ₄ " x 6"	64964	64099	64966	64119	64111	200
	7" x 10"	64968	64100	64970	64120	64112	50
	1" Square NFPA	64972	64972	_	_	_	600
	2½" Square NFPA	64974	64974	_	_	_	300

▶ Right-To-Know Power Card for Labelizer® Plus

• Includes a 128k memory card to store your created labels

Description	Catalog No.
Right-to-Know Power Card with 128,000 Character Memory	64950
Additional Memory Card	
128.000 Character Memory	64877



. o p		/ -		0.00		000	my, cape				
*This	lahel	format	can h	e liser	d with	nart	numbers	64	225	6422	6 and

Preprinted Sign Header Supply

Made of durable B-580 tape...use with MarkWare[™] Software

NSI Z535 ign Header	Size	English Part No.	Spanish Part No.	Labels per Cartridge
NOTICE	2" x 2" vinyl	64600	64612	400
	3" x 5" vinyl	64601	64613	200
AVISO	7" x 10" vinyl	64602	64614	50
AWARNING	2" x 2" vinyl	64603	64621	400
A ADVERTENCIA	3" x 5" vinyl	64604	64622	200
A ADVERTENCIA	7" x 10" vinyl	64605	64623	50
A CAUTION	2" x 2" vinyl	64606	64615	400
	3" x 5" vinvl	64607	64616	200
A PRECAUCION	7" x 10" vinyl	64608	64617	50
A CAUTION	2" x 2" vinyl	64609	64618	400
	1 2 " v E " vinvi	64610	64619	200
A PELIGRO	7" x 10" vinvl	64611	64620	50

Gene		Power (Cards Foi	r Labeliz	:er
A PELIGRO	7" x 10" vinyl	64611	64620	50	
	" 3" x 5" vinvl	64610	64619	200	
A CAUTION	2" x 2" vinyl	64609	64618	400	
A PRECAUCION	7" x 10" vinyl	64608	64617	50	
		64607	64616	200	
A CAUTION	2" x 2" vinyl	64606	64615	400	
ADVERTENCIA	7" x 10" vinyl	64605	64623	50	
ADVERTENCIA	3" x 5" vinyl	64604	64622	200	
WARNING	2" x 2" vinyl	64603	64621	400	
AVIOU	7" x 10" vinyl	64602	64614	50	

Safety Sign Header	Size	English Part No.	Spanish Part No.	Labels per Cartridge
NOTICE	2" x 2" vinyl	64125	64178	400
	3" x 5" vinyl	64126	64179	200
AVISO	7" x 10" vinyl	64127	64180	50
WARMING	2" x 2" vinyl	64128	64187	400
	3" x 5" vinyl	64129	64188	200
ADVERTENCIA	7" x 10" vinyl	64130	64189	50
CAUTION	2" x 2" vinyl	64131	64181	400
	3" x 5" vinyl	64132	64182	200
PRECAUCION	7" x 10" vinyl	64133	64183	50
DANGER	2" x 2" vinyl	64134	64184	400
	3" x 5" vinyl	64135	64185	200
(PELIGRO)	7" x 10" vinyl	64136	64186	50
	2" x 2" vinyl	64137	_	400
BLANK WHITE	3" x 5" vinyl	64138	_	200
	7" x 10" vinyl	64139	_	50
	2" x 2" vinyl	64140	_	400
BLANK YELLOW	3" x 5" vinyl	64141	_	200
	7" x 10" vinyl	64142	_	50



Power Cards

r® Plus

Pipe Marker Card	
Description	Catalog Number
Pipe Marker Power Card	40073
Font Cards	
Description	Catalog Number
Swiss Bold	64866
Swiss Regular	64867
AD Bold	64868
Dutch Bold	64869
Alternate Gothic 2	64870
Zapf Humanist	40094
Zapf Humanist Bold	40095
Zapf Chancery Medium Italic	40096

Description	Catalog Number
Symbol Card	64874
Industrial Symbols Card	64755
Safety Symbols Card	64939 (2 Card Set)
Arrow Card	64809
Allow Calu	04609
Bar Code Cards Description	Catalog Number
Bar Code Cards Description	
Bar Code Cards	Catalog Number
Bar Code Cards Description Code 3 of 9	Catalog Number 64873

rs 64225, 64226 and 64950 which are sold on pages 157 and 160.


^{**}Use this label format with MarkWare™ Deluxe Software, sold on page 174.

Labelizer® PLUS & VersaPrinter™ Specialty Tapes

▶ Reflective Tape (B-584)

- Use both indoors and outdoors
- Reflective capabilities are ideal for reading labels in low light areas
- Locate labels from your vehicle with a flashlight

• 75 feet (22.9 m) per roll



016-14451 CONNECTORS

Description	Catalog Number				
Tape Cartridges	No. Per Pkg.	Black	Black	Black	
1½" x 75'	2	64739	64400*	64403*	
21/4" x 75'	1	64740	64401**	64404**	
4" x 75'	1	64741	64402	64405	

^{*}Tape is 69' per roll. **Tape is 58' per roll.

▶ Repositionable Vinyl Tape (B-581)

- Special adhesive allows easy removal of label with reapplication again and again
- Label of choice for indoor marking where frequent repositioning is required, such as storage shelves
- 90 feet (27.4 m) per roll

Tape Cartridge	No. Per Pkg.	Black	Black
1/2" x 90'	2	64730	64734
11/8" x 90'	2	64731	64735
21/4" x 90'	1	64732	64736
4" x 90'	1	64733	64737

▶ Permanent Standard Tape (B-571)

- · General use polyester tape with permanent adhesive
- · Indoor use only
- 125 feet (38 m) per roll

Description	Catalog	Number				
Tape Cartridges	No. Per Pkg.	Black	Black	Black	White	Red
½" x 125'	2	64834	64842	64850	64978	_
1" x 125'	2	64835	64843	64851	64979	_
2" x 125'	1	64836	64844	64852	64980	64787
3" x 125'	1	64923	64924	64925	_	_
4" x 125'	1	64837	64845	64853	_	64788

▶ Direct Thermal Paper Tape (B-546)

- Ideal, low-cost temporary label
- Standard package:
 175 feet per cartridge



Description	No. Per Pkg.	Catalog Number
2" x 175'	2	64946
4" x 175'	2	64947

▶ Brady Glow-in-the-Dark Tape (B-582)

- Mark exits, fire extinguishers, escape and evacuation routes, light switches and electrical service boxes
- Glows in a totally dark room for at least 10 hours
- Meets ISO, DIN and ASTM standards
- 75 feet (22.9 m) per roll



Description	Catalog Number				
Tape Cartridges	No. Per Pkg.	Black	Red	Blue	Green
11/8" x 75'	2	64743	64784	46339	46342
21/4" x 75'	1	64744	64785	46340	46343
4" x 75'	1	64745	64786	46341	46344

► Cold Temperature Tape (B-549)

 Permanently adheres to surfaces at temperatures as low as -10°F (application temp.).
 Service temperature to -40°F



- · Great for use in any cold storage warehouse, cooler or freezer
- Stands up to chemicals, water, oil and many solvents
- 90 feet (27.4 m) per roll

Tape Cartridge	No. Per Pkg.	Black	Black
2" x 90'	1	64776	64685
3" x 90'	1	46237	46236
4" x 90'	1	64777	64686

▶ Removable Standard Tape (B-570)

- General use polyester tape can be used for indoor applications
- · Label removes easily with no residue
- 110 feet (33.5 m) per roll

Description	Catalog I	Number			
Tape Cartridges	No. Per Pkg.	Black	Black	Red	Blue
½" x 110'	2	64838	64846	64858	64862
1" x 110'	2	64839	64847	64859	64863
2" x 110'	1	64840	64848	64860	64864
3" x 110'	1	64926	64927	64928	64929
4" x 110'	1	64841	64849	64861	64865

Overlaminates (B-674)

- Provides improved label durability
- Hand applied after label is applied

Roll Size	Catalog Number
3⁄4" x 10 yards	25966
1%" x 10 yards	25967
2½" x 10 yards	25968
41/4" x 10 yards	25969



BradyGuard® Property Plates

▶ BradyGuard® **Property Plates**

- Ideal for asset identification in office or manufacturing environments
- Durable property nameplates are a crucial part of an effective asset management program. BradyGuard Property Name Plates feature:
- · High quality, .003 anodized aluminum
- Consecutive numbering
- Colors, wordings and designs actually etched permanently into the aluminum
- · Use indoors or out
- · Resistant to solvents, abrasions, weather and extreme temperatures

Plates are supplied in strips and are kiss-cut to the liner for easy removal and fast application. Apply to a clean dry surface.



PROPERTY OF IRMINGHAM SCHOOL

WOLPER ROSS & INGHAM **IBM133** COMPUTER DEPT. I.D.

1¹/2" x ³/4"

Customize tags with your choice of:

Three Sizes

- 1¹/₂" x ³/₄"are 10 plates up on a strip
- 2" x 3/4" are 10 plates up on a strip
- 2" x 11/4" are 6 plates up on a strip

Consecutive Numbering

- · Permanently debossed, black-filled consecutive numbering
- · A minimum of 5 digits is required (0s will be added in front of numbering to total 5 if necessary)
- A maximum of 10 digits for 11/2" x 3/4" and 2" x 3/4" name plates
- A maximum of 6 digits for 2" x 11/4" name plates
- No numbering is also available

Background Finish

- All matte
- · All gloss

Your Custom Wording

- Etched with your wording and logo
- Please specify if "PROPERTY OF"should be included

Permanent Adhesive

- 3M #467 is for most smooth non-plastic surfaces (-40°F to 350°F)
- 3M #468 is for rough or textured non-plastic surfaces (-40°F to 350°F)
- 3M #9471 is for smooth plastic (-40°F to 250°F)
- 3M #9472 is for textured plastic (-40°F to 250°F)
 - ** For indoor use only. All other colors suitable for outdoor or indoor use.
 - * Recommended for best

