



HBE 24 SCREWLESS SPRING CAGE CLAMP INSERTS





CONTACTS FOR HBE CRIMP TERMINATED INSERTS HBE MACHINED CONTACTS: DIAMETER 2.5MM






	Bags of 100											
		Silv	ver	Go	old	Stripping						
mm2	AWG	Pin	Socket	Pin	Socket	Length (mm)						
0.5	20	11.1900	11.1950	11.1920	11.1970	Pin=7.4, Socket =7.3						
.75 - 1.0	18	11.1901	11.1951	11.1921	11.1971	Pin=7.4, Socket =7.3						
1.5	16	11.1902	11.1952	11.1922	11.1972	Pin=7.4, Socket =7.3						
2.5	14	11.1903	11.1953	-	-	Pin=7.4, Socket =7.3						
4.0	12	11.1904	11.1954	-	-	Pin=7.4, Socket =7.3						




HBE 24 HOODS WITH SINGLE LEVER BOLTS

TOP ENTRY







Rectangular Connectors HBE Series

SIDE ENTRY



All dimensions are in mm.


Position of	Size of Entry			Standard Grey Coating			Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	10.1219	10.1219NP	19.1219	70.1490	70.1490NP	79.1490	
	29	1"	32	10.1119	10.1119NP	19.1119	70.1492	70.1492NP	79.1492	
Side Entry	21	3/4"	25	10.1139	10.1139NP	19.1139	70.1590	70.1590NP	79.1590	
	29	1"	32	10.1239	10.1239NP	19.1239	70.1592	70.1592NP	79.1592	


Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH SINGLE LEVER BOLTS









SIDE ENTRY




Position of	Siz	e of	Entry	Stand	ard Grey C	oating	Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.1444	70.1444NP	79.1444	70.1494	70.1494NP	79.1494	
	29	1"	32	70.1446	70.1446NP	79.1446	70.1496	70.1496NP	79.1496	
Side Entry	21	3/4"	25	70.1544	70.1544NP	79.1544	70.1594	70.1594NP	79.1594	
	29	1"	32	70.1546	70.1546NP	79.1546	70.1596	70.1596NP	79.1596	


Metric hoods do not come with a neck.

	ectangular HBE	Connectors Series
HBE 24 PANEL N	OUNT BASES WITH	H SINGLE LEVER
	All dimensions are in mm.	
Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without dust cover Panel Mount with dust cover	10.1029 10.1039	70.1327 70.1337

HBE 24 SURFACE MOUNT BASES WITH SINGLE LEVER









Strain Size of Entry **Black Coating (NEMA 4X) Standard Grey Coating** # of Relief Entries PG NPT Metric PG NPT Metric PG NPT M **NPT Metric** Part # Part # Part # Part # Part # Part # PG 2 Entries 21 3/4" 25 10.1059 10.1059NP 19.1059 70.1630 70.1630NP 79.1630 1 Entry 79.1620 3/4" 10.1049 10.1049NP 19.1049 70.1620 70.1620NP 21 25 2 with cover 21 3/4" 25 10.1099 10.1099NP 19.1099 70.1670 70.1670NP 79.1670 1 with cover 21 25 3/4" 10.1079 10.1079NP 19,1079 70.1660 70.1660NP 79.1660


	EMC PROTECT	Rectangular Connectors		
- IL		PG/NPT	Metric	1: 2
CR°	Panel Mount Base Surface Mount & Cable Coupler Hood		79.3503 79.3523	1:
	EMC Shielding is retrofit	ET T II 100 1000 Fraguence P(Millar)		
www.c	contactelec 800-221-1			s.com

99

HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER

Rectangular Connectors HBE Series









# of	Siz	e of I	Entry	Stand	ard Grey C	Standard Grey Coating			Black Coating (NEMA 4X)			
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief		
2 Entries	21 29	3/4" 1"	25 32	70.1612 70.1614	70.1612NP 70.1614NP	79.1612 79.1614	70.1632 70.1634	70.1632NP 70.1634NP	79.1632 79.1634			
1 Entry	21 29	3/4" 1"	25 32	70.1602 70.1604	70.1602NP 70.1604NP	79.1602 79.1604	70.1622 70.1624	70.1622NP 70.1624NP	79.1622 79.1624			
2 Entries with dust cover	21 29	3/4" 1"	25 32	70.1652 70.1654	70.1652NP 70.1654NP	79.1652 79.1654	70.1672 70.1674	70.1672NP 70.1674NP	79.1672 79.1674	8		
1 Entry with dust cover	21 29	3/4" 1"	25 32	70.1642 70.1644	70.1642NP 70.1644NP	79.1642 79.1644	70.1662 70.1664	70.1662NP 70.1664NP	79.1662 79.1664			

HBE 24 CABLE COUPLER HOODS WITH SINGLE LEVER





All dimensions are in mm.



HIGH PROFILE


Desfile	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	MA 4X)	Strain Relief	
Profile	PG NPT Metric		PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
Standard	21	3/4"	25	10.1279	10.1279NP	19.1279	70.1430	70.1430NP	79.1430	
	29	1"	32	10.1179	10.1179NP	19.1179	70.1432	70.1432NP	79.1432	
High Profile	21	3/4"	25	70.1424	70.1424NP	79.1424	70.1434	70.1434NP	79.1434	
	29	1"	32	70.1426	70.1426NP	79.1426	70.1436	70.1436NP	79.1436	


Metric hoods do not come with a neck.

HBE 24 HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY







Rectangular Connectors HBE Series

All dimensions are in mm.


Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	10.1210	10.1210NP	19.1210	70.1510	70.1510NP	79.1510	
	29	1"	32	10.1110	10.1110NP	19.1110	70.1512	70.1512NP	79.1512	
Side Entry	21	3/4"	25	10.1130	10.1130NP	19.1130	70.1530	70.1530NP	79.1530	
	29	1"	32	10.1230	10.1230NP	19.1230	70.1532	70.1532NP	79.1532	


Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY







SIDE ENTRY

SIDE ENTRY




Strain Size of Entry Black Coating (NEMA 4X) Standard Grey Coating Position of Relief **Cable Entry** PG NPT Metric PG NPT Metric PG NPT M NPT Metric Part # Part # Part # PG Part # Part # Part # Top Entry 79.1504 21 3/4" 25 70.1504 70.1504NP 70.1514 70.1514NP 79.1514 29 1" 32 70.1506 70.1506NP 79.1506 70.1516 70.1516NP 79.1516 Side Entry 21 3/4" 25 70.1524 70.1524NP 79.1524 70.1534 70.1534NP 79.1534 29 1" 32 70.1526 70.1526NP 79.1526 70.1536 70.1536NP 79.1536

Metric hoods do not come with a neck.

	D Re	ctangul HB	ar Conn E Serie	ectors s
HBE 24	PANEL MO	OUNT BASES W		LEVERS
	0 6.		43	
			All dimensions are in m	m.
	cription without Dust Cover	Standard Grey Coa		ing (NEMA 4X)
Panel wount	without Dust Cover	10.1020		J. 1323
	of Entry	PG NPT or M 45 57	All dimensions are in n	
# 01	-	andard Grey Coating	Black Coating (NE	MA 4X) Strain Relief
Entries PG N	PG NPT Metric Part #	ndard Grey Coating	Black Coating (NE PG NPT Part # Part #	132 144 nm. MA 4X) Metric Part # PG NPT M
Entries PG N 2 Entries 21 3	PG	ndard Grey Coating NPT Metric Part # Part # 10 10.1050NP 19.1050	Black Coating (NE	132 144 nm. MA 4X) Strain Relief Metric
Entries PG N 2 Entries 21 3	PG NPT Metric Part # 3/4" 25 10.105 3/4" 25 10.104 EI Panel Mount Ba	Adard Grey Coating NPT Metric Part # Part # 0 10.1050NP 19.1050 0 10.1040NP 19.1040 MC PROTECTION Asse 70	Black Coating (NE PG NPT Part # Part # 70.1380 70.1380NP 70.1370 70.1370NP	132 144 nm. MA 4X) Strain Relief Part # PG NPT M 79.1380

HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH DOUBLE LEVERS





Rectangular Connectors HBE Series


All dimensions are in mm.

Position of	Size of Entry			Standard Grey Coating			Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT N
2 Entries	21	3/4"	25	70.1362	70.1362NP	79.1362	70.1382	70.1382NP	79.1382	
	29	1"	32	70.1364	70.1364NP	79.1364	70.1384	70.1384NP	79.1384	O 🗖 Z
1 Entry	21	3/4"	25	70.1352	70.1352NP	79.1352	70.1372	70.1372NP	79.1372	
	29	1"	32	70.1354	70.1354NP	79.1354	70.1374	70.1374NP	79.1374	

HBE 24 CABLE COUPLER HOOD WITH DOUBLE LEVERS

STANDARD PROFILE






PS



All dimensions are in mm.

HIGH PROFILE




Profile	Size of Entry			Entry Standard Grey Coating			Black C	MA 4X)	Strain Relief		
Profile	PG NPT Metric		PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT		
Standard	21	3/4"	25	10.1270	10.1270NP	19.1270	70.1410	70.1410NP	79.1410		Δ
	29	1"	32	10.1170	10.1170NP	19.1170	70.1412	70.1412NP	79.1412		Δ
High Profile	21	3/4"	25	70.1404	70.1404NP	79.1404	70.1414	70.1414NP	79.1414		$\mathbf{\Delta}$
	29	1"	32	70.1406	70.1406NP	79.1406	70.1416	70.1416NP	79.1416		


Metric hoods do not come with a neck.

HBE 24 HOODS WITH DOUBLE LEVERS

TOP ENTRY







Rectangular Connectors HBE Series




All dimensions are in mm.

Position of	Siz	e of l	Entry	Stand	ard Grey C	oating	Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	10.1220	10.1220NP	19.1220	70.1560	70.1560NP	79.1560	
	29	1"	32	10.1120	10.1120NP	19.1120	70.1562	70.1562NP	79.1562	
Side Entry	21	3/4"	25	10.1140	10.1140NP	19.1140	70.1580	70.1580NP	79.1580	
	29	1"	32	10.1240	10.1240NP	19.1240	70.1582	70.1582NP	79.1582	Ŏ 🖬 Ă

Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH DOUBLE LEVERS





All dimensions are in mm.

SIDE ENTRY



Position of Cable Entry	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
Top Entry	21	3/4"	25	70.1554	70.1554NP	79.1554	70.1564	70.1564NP	79.1564		$\mathbf{\Delta}$
	29	1"	32	70.1556	70.1556NP	79.1556	70.1566	70.1566NP	79.1566		
Side Entry	21	3/4"	25	70.1574	70.1574NP	79.1574	70.1584	70.1584NP	79.1584		\mathbf{A}
	29	1"	32	70.1576	70.1576NP	79.1576	70.1586	70.1586NP	79.1586	Ŏ 🗖	

Metric hoods do not come with a neck.

