HBVE SERIES

The HBVE series inserts are high voltage inserts which are equipped with switch contacts. The switch contacts lag when inserted which prevents insertion of the connectors when the system is alive. The switching contacts interrupt the power supply to the system before the working contacts are separated.

These inserts now fit into the HBE Series housings which are now standard with fixed levers.

of Contacts: 3, 6, 10 (+PE)




SP




IEC	HNICAL DATA
<u>Inserts</u> : Number of Contacts: Rated Voltage: Rated Current:	3, 6, 10 (+PE) VDE: 630V EPIC HBVE 3-10 UL: 600V EPIC HBVE 3-10 CSA: 600V EPIC HBVE 3-10 SEV: 630V EPIC HBVE 3-10 VDE: 16A EPIC HBVE 3-10 UL: 16A EPIC HBVE 3-10 CSA: 16A EPIC HBVE 3-10
Pollution Level: Test Voltage: Termination Type: Temperature Range: Contacts: Contact Resistance: Mating Cycles:	3 6 kV Screw termination: 0.5 - 2.5 mm2 AWG: 20 - 14 -40°C to 125°C Copper alloy, silver plated <2mOhm 100 (higher mating cycles depend on the application)

Rectangular Connectors HBVE Series

TECHNICAL DATA: DERATING CURVES HBVE: 1.5 mm2 (16 AWG)







TECHNICAL DATA: HOUSINGS

Rectangular Connectors HBVE Series

Specifications: Temperature Range: Protection class: Material: DIN 43652 -40°C to +125°C IP65 Aluminum alloy, powder coated

STANDARD GREY COATING (NEMA 4)

PG

NPT


METRIC




Aluminum alloy, powder coated (grey), locking levers and bolts made of zinc plated steel. For industrial applications in demanding environments.

PANEL CUT-OUTS FOR PANEL MOUNT BASES

All dimensions are in mm.







HBE 10 HOODS WITH SINGLE LEVER BOLTS

TOP ENTRY







Rectangular Connectors



SIDE ENTRY

All dimensions are in mm.


Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	16	1/2"	20	10.0409	10.0409NP	19.0409	70.0490	70.0490NP	79.0490	0 🗆 🔺
	21	3/4"	25	10.0407	10.0407NP	19.0407	70.0496	70.0496NP	79.0496	
Side Entry	16	1/2"	20	10.0429	10.0429NP	19.0429	70.0590	70.0590NP	79.0590	
	21	3/4"	25	10.0428	10.0428NP	19.0428	70.0596	70.0596NP	79.0596	Ŏ 🗖 Ă

Metric hoods do not come with a neck.

HBE 10 HIGH PROFILE HOODS WITH SINGLE LEVER BOLTS

TOP ENTRY





SIDE ENTRY




All dimensions are in mm.


Position of	Size of Entry			Standa	ard Grey C	oating	Black C	Strain Relief					
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M			
Top Entry	21	3/4"	25	70.0442	70.0442NP	79.0442	70.0492	70.0492NP	79.0492				
	29	1"	32	70.0444	70.0444NP	79.0444	70.0494	70.0494NP	79.0494	$\bigcirc \square $			
Side Entry	21	3/4"	25	70.0542	70.0542NP	79.0542	70.0592	70.0592NP	79.0592				
	29	1"	32	70.0544	70.0544NP	79.0544	70.0594	70.0594NP	79.0594	Ŏ 🗖 Ă			

Metric hoods do not come with a neck.

HBE 10 PANEL MOUNT BASES WITH SINGLE LEVER







Rectangular Connectors




All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without Dust Cover	10.0329	70.0327
Panel Mount with Dust Cover	10.0339	70.0337

HBE 10 SURFACE MOUNT BASES WITH SINGLE LEVER








All dimensions are in mm.

# of	Siz	e of E	Entry	Stand	ard Grey C	oating	Black C	Strain Relief		
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	16	1/2"	20 25	10.0359 -	10.0359NP -	19.0359 79.0616	70.0630 -	70.0630NP -	79.0630 79.0636	
1 Entry	16 21	1/2" 3/4"	20 25	10.0349 10.0347	10.0349NP 10.0347NP	19.0349 19.0347	70.0620 -	70.0620NP -	79.0620 79.0626	
2 Entries with dust cover	16	1/2"	20 25	10.0389 -	10.0389NP -	19.0389 79.0656	70.0670 -	70.0670NP -	79.0670 79.0676	
1 Entry with dust cover	16	1/2"	20 25	10.0369 -	10.0369NP -	19.0369 79.0646	70.0660 -	70.0660NP -	79.0660 79.0666	

Restangular Connectors HBVE Series HBE 10 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER









# of	Siz	e of E	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT N
2 Entries	21	3/4"	25	70.0612	70.0612NP	79.0612	70.0632	70.0632NP	79.0632	
	29	1"	32	70.0614	70.0614NP	79.0614	70.0634	70.0634NP	79.0634	
1 Entry	21	3/4"	25	70.0602	70.0602NP	79.0602	70.0622	70.0622NP	79.0622	
	29	1"	32	70.0604	70.0604NP	79.0604	70.0624	70.0624NP	79.0624	
2 Entries with	21	3/4"	25	70.0652	70.0652NP	79.0652	70.0672	70.0672NP	79.0672	
dust cover	29	1"	32	70.0654	70.0654NP	79.0654	70.0674	70.0674NP	79.0674	
1 Entry with	21	3/4"	25	70.0642	70.0642NP	79.0642	70.0662	70.0662NP	79.0662	
dust cover	29	1"	32	70.0644	70.0644NP	79.0644	70.0664	70.0664NP	79.0664	Ŏ 🗖 Z

HBE 10 CABLE COUPLER HOOD WITH SINGLE LEVER





All dimensions are in mm.




DesCh	Size of Entry			Standard Grey Coating			Black C	Strain		
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief PG NPT M
Standard	16	1/2"	20	10.0469	10.0469NP	19.0469	70.0430	70.0430NP		0 🗆 🔺
Profile	21	3/4"	25	70.0422	70.0422NP	79.0422	70.0432	70.0432NP	79.0432	\circ \Box \land
High	21	3/4"	25	70.0424	70.0424NP	79.0424	70.0434	70.0434NP	79.0434	
Profile	29	1"	32	70.0426	70.0426NP	79.0426	70.0436	70.0436NP	79.0436	


Metric hoods do not come with a neck.

HBE 10 HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY







Restangular Connectors



SIDE ENTRY

All dimensions are in mm.


Position of	Siz	e of	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	16	1/2"	20	10.0400	10.0400NP	19.0400	70.0510	70.0510NP	79.0510	
	21	3/4"	25	10.0401	10.0401NP	19.0401	70.0512	70.0512NP	79.0512	
Side Entry	16	1/2"	20	10.0420	10.0420NP	19.0420	70.0530	70.0530NP	79.0530	
	21	3/4"	25	10.0421	10.0421NP	19.0421	70.0532	70.0532NP	79.0532	Ŏ Ī Ā

Metric hoods do not come with a neck.

HBE 10 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS SIDE ENTRY

TOP ENTRY





All dimensions are in mm.




Position of	Siz	e of l	Entry	Stand	ard Grey C	oating	Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT N
Top Entry	21	3/4"	25	70.0504	70.0504NP	79.0504	70.0514	70.0514NP	79.0514	
	29	1"	32	70.0506	70.0506NP	79.0506	70.0516	70.0516NP	79.0516	Ŏ 🗖 Z
Side Entry	21	3/4"	25	70.0524	70.0524NP	79.0524	70.0534	70.0534NP	79.0534	
	29	1"	32	70.0526	70.0526NP	79.0526	70.0536	70.0536NP	79.0536	ŏ 🖬 Z

Metric hoods do not come with a neck.

//0		Res	tang	jula HB	T Co VE S	onne Jerie	sto s	rs
HBE 10 P	ANEL	MOU	NT BAS	SES W	ITH D	OUBLE	LEVE	RS
C.S.	116 27 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3							
Descript			tandard G	rey Coati	ng B	lack Coatir	<u> </u>	A 4X)
Panel Mount wit		over	10.0	1320		70.	0325	
HBE 10 SU	RFAC	E MO	UNT BA		NITH			ERS
						s are in mm.		
# 01	f Entry		rd Grey C			oating (NE		Strain - Relief
Entries PG NF		PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries 16 1/2	2" 20 25	10.0350 -	10.0350NP -	19.0350 19.0351	70.0380 -	70.0380NP -	79.0380 79.0386	
1 Entry 16 1/2	2" 20 25	10.0340	10.0340NP -	19.0340 19.0341	70.0370	70.0370NP -	79.0370 79.0376	
	Panel Mou Surface M	Int Base	C PRO	PG 70.	MPT Met 3501 79.3 3521 79.3	501 521	Reclangular (Connectors
			nielding is			67	f 10 Proguene	
www.	con 8		-22	ec† 1 - 1	ron 451	ics.	CO	

HBE 10 HIGH PROFILE SURFACE MOUNT BASES WITH DOUBLE LEVERS





Restangular Connectors

All dimensions are in mm.

# of	Siz	e of I	Entry	Stand	ard Grey C	oating	Black C	Strain Relief		
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	70.0362	70.0362NP	79.0362	70.0382	70.0382NP	79.0382	
	29	1"	32	70.0364	70.0364NP	79.0364	70.0384	70.0384NP	79.0384	
1 Entry	21	3/4"	25	70.0352	70.0352NP	79.0352	70.0372	70.0372NP	79.0372	
	29	1"	32	70.0354	70.0354NP	79.0354	70.0374	70.0374NP	79.0374	


HBE 10 CABLE COUPLER HOOD WITH DOUBLE LEVER

STANDARD PROFILE



All dimensions are in mm.


HIGH PROFILE




Desfile	Siz	e of E	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Standard	16	1/2"	20	10.0460	10.0460NP	19.0460	70.0410	70.0410NP		
Profile	21	3/4"	25	70.0402	70.0402NP	79.0402	70.0412	70.0412NP		$\overline{\mathbf{O}} \square \overline{\mathbf{O}}$
High	21	3/4"	25	70.0404	70.0404NP	79.0404	70.0414	70.0414NP	79.0414	
Profile	29	1"	32	70.0406	70.0406NP	79.0406	70.0416	70.0416NP	79.0416	\circ

Metric hoods do not come with a neck.


Restangular Connectors HBVE Series													
	HBE 10	HOODS WI	th do	UBLE	LEVERS	S							
ТОР	ENTRY	eta.	PG or NPT	M PG or NPT	SID	DE ENTR	RY						
		All dimension				0	112.0						
Destitions	Size of Entry	Standard Grey C			oating (NE	MA 4X)	Strain						
Position of Cable Entry	PG NPT Metric	PG NPT	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief						
Top Entry	16 1/2" 20 25	10.0410 10.0410NP	19.0410 79.0557	70.0560	70.0560NP	79.0560 79.0566							
Side Entry	16 1/2" 20 25	10.0450 10.0450NP 	19.0450 79.0577	70.0580 -	70.0580NP -	79.0580 79.0586							
		Metric hoods do not	come with	a neck.									
25 - - 79.0577 - - 79.0586 ▲ Metric hoods do not come with a neck. HBE 10 HIGH PROFILE HOODS WITH DOUBLE LEVERS													
HBE 10 HIGH PROFILE HOODS WITH DOUBLE LEVERS TOP ENTRY													
					SI								
					SI		RY						
TOP	P ENTRY	Standard Grey C PG NPT	PG or NPT 3° Cating Metric	Black C PG	SII	DE ENT	RY						
TOP	PENTRY Size of Entry PG NPT Metric 21 3/4" 25	Final Standard Grey C PG NPT Part # Part # 70.0552 70.0552NP	oating Metric Part # 79.0552	Black C PG Part # 70.0562	SII	DE ENT	RY						
TOP	PENTRY	Final Standard Grey C PG NPT Part # Part #	PG or NPT 3 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Black C PG Part #	SII	DE ENT	RY						
TOP	PENTRY Size of Entry PG NPT 21 3/4" 29 1" 21 3/4" 25 21 3/4" 21 3/4" 22 3/4"	Standard Grey C PG NPT Part # Part # 70.0552 70.0552NP 70.0554 70.0554NP 70.0572 70.0572NP	Deating Metric Part # 79.0552 79.0554 79.0572 79.0574	Black C PG Part # 70.0562 70.0564 70.0582 70.0584	SII 5 5 5 5 5 5 5 5 5 5 5 5 5	DE ENT	RY						






	HB	Ø	6 H	11		HB	VE S	onne erie /er bo	5	rs
ТОР				e-+-1		3 or	M		DE ENT	RY
	10			- 43 → AII	dimensions	933 110 are in mm.		M	6)	
Position of	Siz	e of l	Entry	Stand	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21 29	3/4" 1"	25 32	10.0809 10.0909	10.0809NP 10.0909NP	19.0809 19.0909	70.0990	70.0990NP	79.0990	
Side Entry	21 29	3/4" 1"	25 32	10.0829 10.0929	10.0829NP 10.0929NP	19.0829 19.0929	70.1090 -	70.1090NP -	79.1090	
				Metric	hoods do no	t come with	a neck.			
TOP E	ΕΝΤΙ	RY			IIGH P NGLE	LEVER		C	DE ENT	RY









All dimensions are in mm.

Position of	Siz	e of l	Entry	Stand	ard Grey C	oating	Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.0942	70.0942NP	79.0942	70.0992	70.0992NP	79.0992	
	29	1"	32	70.0944	70.0944NP	79.0944	70.0994	70.0994NP	79.0994	\circ
Side Entry	21	3/4"	25	70.1042	70.1042NP	79.1042	70.1092	70.1092NP	79.1092	
	29	1"	32	70.1044	70.1044NP	79.1044	70.1094	70.1094NP	79.1094	

Metric hoods do not come with a neck.

.contactelectronics.com 800-221-1451 W


Rectangular Connectors HBE 16 PANEL MOUNT BASES WITH SINGLE LEVER

All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel mount without dust cover	10.0729	70.0827
Panel mount with dust cover	10.0739	70.0837

HBE 16 SURFACE MOUNT BASES WITH SINGLE LEVER








All dimensions are in mm.

# of	Siz	e of I	Entry	Standa	ard Grey C	oating	Black C	Strain Relief			
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
2 Entries	21	3/4"	25	10.0759	10.0759NP	19.0759	70.1130	70.1130NP	79.1130		Δ
1 Entry	21	3/4"	25	10.0749	10.0749NP	19.0749	70.1120	70.1120NP	79.1120		
2 Entries with dust cover	21	3/4"	25	10.0789	10.0789NP	19.0789	70.1170	70.1170NP	79.1170		
1 Entry with dust cover	21	3/4"	25	10.0769	10.0769NP	19.0769	70.1160	70.1160NP	79.1160		

HBE 16 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER

Rectangular Connectors HBVE Series








All dimensions are in mm.

# of	Siz	e of E	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	70.1112	70.1112NP	79.1112	70.1132	70.1132NP	79.1132	
	29	1"	32	70.1114	70.1114NP	79.1114	70.1134	70.1134NP	79.1134	
1 Entry	21	3/4"	25	70.1102	70.1102NP	79.1102	70.1122	70.1122NP	79.1122	
	29	1"	32	70.1104	70.1104NP	79.1104	70.1124	70.1124NP	79.1124	
2 Entries with	21	3/4"	25	70.1152	70.1152NP	79.1152	70.1172	70.1172NP	79.1172	
dust cover	29	1"	32	70.1154	70.1154NP	79.1154	70.1174	70.1174NP	79.1174	IÕ 🗖 🛆
1 Entry with	21	3/4"	25	70.1142	70.1142NP	79.1142	70.1162	70.1162NP	79.1162	
dust cover	29	1"	32	70.1144	70.1144NP	79.1144	70.1164	70.1164NP	79.1164	

HBE 16 CABLE COUPLER HOODS WITH SINGLE LEVER





All dimensions are in mm.


HIGH PROFILE


	Campa -										
D (1)	Siz	e of I	Entry	Standa	ard Grey C	oating	Black C	MA 4X)	Strain		
Profile				PG	NPT	Metric	PG	NPT	Metric	Relief	
	PG	NPT	Metric	Part #	Part #	Part #	Part #	Part #	Part #	PG NPT	M
Standard	21	3/4"	25	10.0869	10.0869NP	19.0869	70.0930	70.0930NP	79.0930		$\overline{\Delta}$
	29	1"	32	10.0969	10.0969NP	19.0969	70.0969	70.0969NP	79.0969		Δ
High	21	3/4"	25	70.0922	70.0922NP	79.0922	70.0932	70.0932NP	79.0932		$\overline{\Delta}$
	29	1"	32	70.0924	70.0924NP	79.0924	70.0934	70.0934NP	79.0934		Δ
				Metric	hoods do not	come with	a neck.				

HBE 16 HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY







Restangular Connectors

All dimensions are in mm.


Position of	Siz	e of I	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	10.0800	10.0800NP	19.0800	70.1010	70.1010NP	79.1010	
	29	1"	32	10.0900	10.0900NP	19.0900	-	-	-	
Side Entry	21	3/4"	25	10.0820	10.0820NP	19.0820	70.1030	70.1030NP	79.1030	
	29	1"	32	10.0920	10.0920NP	19.0920	-	-	-	$\circ \square \overline{\land}$

Metric hoods do not come with a neck.

HBE 16 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY





M E

SIDE ENTRY

SIDE ENTRY



All dimensions are in mm.


Position of	Siz	e of	Entry	Standa	ard Grey C	oating	Black C	Strain Relief			
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
Top Entry	21	3/4"	25	70.1002	70.1002NP	79.1002	70.1012	70.1012NP	79.1012		À
	29	1"	32	70.1004	70.1004NP	79.1004	70.1014	70.1014NP	79.1014		
Side Entry	21	3/4"	25	70.1022	70.1022NP	79.1022	70.1032	70.1032NP	79.1032		
	29	1"	32	70.1024	70.1024NP	79.1024	70.1034	70.1034NP	79.1034	Ŏ 🗖	$\overline{\Delta}$

Metric hoods do not come with a neck.

	10	D	1	Res	fang	jula HB	r Co VE S	onne Jerie	sto S	rs		
HBE	HBE 16 PANEL MOUNT BASES WITH DOUBLE LEVERS											
Panel Mo		-			andard Gre 10.072	y Coating			(NEMA	4X)		
HBE		SUR	FAC	E MC	OUNT BA	ASES \	5	DOUBL	130.5 47.5 8 9 10 10 10 10			
Mounting Type	Size	e of E	Entry Metric	Standa PG Part #	ard Grey Co NPT Part #	oating Metric Part #	Black C PG Part #	Coating (NE NPT Part #	MA 4X) Metric Part #	Strain Relief PG NPT M		
2 Entries 1 Entry	21 21	3/4" 3/4"	25 25	10.0750 10.0740	10.0750NP 10.0740NP	19.0750 19.0740	70.0880 70.0870	70.0880NP 70.0870NP	79.0880 79.0870			
	21		25 25 Panel I	10.0740 EM Mount Base e Mount &	10.0750NP 10.0740NP	19.0750 19.0740 TECTI P er Hood 7 7	70.0880 70.0870 ON G/NPT M 0.3502 79 0.3522 79	70.0880NP	79.0880	100 100 F.M40		

HBE 16 HIGH PROFILE BASES WITH DOUBLE LEVERS






Restangular Connectors


All dimensions are in mm.

# of	Siz	e of I	Entry	Standa	ard Grey C	oating	Black C	Strain Relief			
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
2 Entries	21	3/4"	25	70.0862	70.0862NP	79.0862	70.0882	70.0882NP	79.0882		Δ
	29	1"	32	70.0864	70.0864NP	79.0864	70.0884	70.0884NP	79.0884		
1 Entry	21	3/4"	25	70.0852	70.0852NP	79.0852	70.0872	70.0872NP	79.0872		
	29	1"	32	70.0854	70.0854NP	79.0854	70.0874	70.0874NP	79.0874		

HBE 16 CABLE COUPLER HOODS WITH DOUBLE LEVERS

STANDARD PROFILE








All dimensions are in mm.

HIGH PROFILE




Durfle	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	Strain		
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief
Standard										
Stanuaru	21	3/4"	25	10.0860	10.0860NP	19.0860	70.0910	70.0910NP	79.0910	
	29	1"	32	10.0960	10.0960NP	19.0960	-	-	-	
High	21	3/4"	25	70.0902	70.0902NP	79.0902	70.0912	70.0912NP	79.0912	
	29	1"	32	70.0904	70.0904NP	79.0904	70.0914	70.0914NP	79.0914	

Metric hoods do not come with a neck.

www.contactelectronics.com 800-221-1451

Restangular Connectors HBE 16 HOODS WITH DOUBLE LEVERS PG or **TOP ENTRY** SIDE ENTRY PG or 53 63.5 55 136.5 All dimensions are in mm. Strain Size of Entry Black Coating (NEMA 4X) Standard Grey Coating Position of Relief Cable Entry PG NPT Metric PG NPT Metric PG NPT M **NPT Metric** Part # Part # Part # Part # Part # PG Part # Top Entry 21 3/4" 25 10.0810 10.0810NP 19.0810 70.1060 70.1060NP 79.1060 32 29 1" 10.0910 10.0910NP 19.0910 70.1080NP Side Entry 21 3/4' 25 10.0830 10.0830NP 19.0830 70.1080 79.1080 29 32 10.0930 10.0930NP 19.0930 1" Metric hoods do not come with a neck. HBE 16 HIGH PROFILE HOODS WITH DOUBLE LEVERS **TOP ENTRY** SIDE ENTRY PG c








G or

All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.1052	70.1052NP	79.1052	70.1062	70.1062NP	79.1062	
	29	1"	32	70.1054	70.1054NP	79.1054	70.1064	70.1064NP	79.1064	
Side Entry	21	3/4"	25	70.1072	70.1072NP	79.1072	70.1082	70.1082NP	79.1082	
	29	1"	32	70.1074	70.1074NP	79.1074	70.1084	70.1084NP	79.1084	Ó 🗖 Ă


Metric hoods do not come with a neck.




Restangular Connectors HBVE Series

HBVE 10 INSERTS






View from cable side



Panel Cut-Out




These inserts fit in the HBE 24 Series Housings which are on the following pages.


	Plug	Receptacle
Screw Termination with wire protection	10.270010	10.271010
Screw Termination without wire protection	10.270110	10.271110

HBE 24 HOODS WITH SINGLE LEVER BOLTS

TOP ENTRY







Rectangular Connectors

SIDE ENTRY



All dimensions are in mm.


Position of	Siz	e of l	Entry	ntry Standard Grey Coating				Black Coating (NEMA 4X)			
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief	
Top Entry	21 29	3/4" 1"	25 32	10.1219 10.1119	10.1219NP 10.1119NP	19.1219 19.1119	70.1490 70.1492	70.1490NP 70.1492NP	79.1490 79.1492		
Side Entry	21 29	3/4" 1"	25 32	10.1139 10.1239	10.1139NP 10.1239NP	19.1139 19.1239	70.1590 70.1592	70.1590NP 70.1592NP	79.1590 79.1592		


Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH SINGLE LEVER BOLTS









SIDE ENTRY



Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.1444	70.1444NP	79.1444	70.1494	70.1494NP	79.1494	
	29	1"	32	70.1446	70.1446NP	79.1446	70.1496	70.1496NP	79.1496	
Side Entry	21	3/4"	25	70.1544	70.1544NP	79.1544	70.1594	70.1594NP	79.1594	
	29	1"	32	70.1546	70.1546NP	79.1546	70.1596	70.1596NP	79.1596	


Metric hoods do not come with a neck.

Rectangular Connectors HBVE Series HBE 24 PANEL MOUNT BASES WITH SINGLE LEVER 138 138.5 120 130 140 All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without dust cover	10.1029	70.1327
Panel Mount with dust cover	10.1039	70.1337

HBE 24 SURFACE MOUNT BASES WITH SINGLE LEVER





All dimensions are in mm.

# of	Siz	e of E	f Entry Standard Grey Coating			Black C	Strain Relief				
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part # PG NPT		
2 Entries	21	3/4"	25	10.1059	10.1059NP	19.1059	70.1630	70.1630NP	79.1630		Δ
1 Entry	21	3/4"	25	10.1049	10.1049NP	19.1049	70.1620	70.1620NP	79.1620		Δ
2 with cover	21	3/4"	25	10.1099	10.1099NP	19.1099	70.1670	70.1670NP	79.1670		$\mathbf{\Delta}$
1 with cover	21	3/4"	25	10.1079	10.1079NP	19.1079	70.1660	70.1660NP	79.1660		\mathbf{A}


	EMC PROTECT	Rectangular Connectors		
The		PG/NPT	Metric	1: 1
	Panel Mount Base Surface Mount & Cable Coupler Hood		79.3503 79.3523	1
	EMC Shielding is retrofit	table.		8-1 1 18 100 1000 Fraguence P(Mile)
www.c	contactelec 800-221-1			s.com

154

HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER

Rectangular Connectors









# of	Siz	e of E	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	NPT Part #	Metric Part #	PG NPT M	
2 Entries	21	3/4"	25	70.1612	70.1612NP	79.1612	70.1632	70.1632NP	79.1632	
	29	1"	32	70.1614	70.1614NP	79.1614	70.1634	70.1634NP	79.1634	
1 Entry	21	3/4"	25	70.1602	70.1602NP	79.1602	70.1622	70.1622NP	79.1622	
	29	1"	32	70.1604	70.1604NP	79.1604	70.1624	70.1624NP	79.1624	
2 Entries with	21	3/4"	25	70.1652	70.1652NP	79.1652	70.1672	70.1672NP	79.1672	
dust cover	29	1"	32	70.1654	70.1654NP	79.1654	70.1674	70.1674NP	79.1674	
1 Entry with	21	3/4"	25	70.1642	70.1642NP	79.1642	70.1662	70.1662NP	79.1662	
dust cover	29	1"	32	70.1644	70.1644NP	79.1644	70.1664	70.1664NP	79.1664	<u> Õ 🗖 Ā</u>

HBE 24 CABLE COUPLER HOODS WITH SINGLE LEVER






All dimensions are in mm.



HIGH PROFILE




D (1)	Siz	e of	Entry	Stand	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief	
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Metric Part # Part #		PG NPT	
Standard	21	3/4"	25	10.1279	10.1279NP	19.1279	70,1430	70.1430NP	79.1430		$\overline{\mathbf{A}}$
	29	1"	32	10.1179	10.1179NP	19.1179	70.1432	70.1432NP	79.1432	Iŏ 🖬 ($\overline{\Delta}$
High Profile	21	3/4"	25	70.1424	70.1424NP	79.1424	70.1434	70.1434NP	79.1434		$\mathbf{\Delta}$
	29	1"	32	70.1426	70.1426NP	79.1426	70.1436	70.1436NP	79.1436		$\mathbf{\Delta}$


Metric hoods do not come with a neck.

HBE 24 HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY







Restangular Connectors

All dimensions are in mm.


Position of	Siz	e of	Entry	Stand	ard Grey C	oating	Black C	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	10.1210	10.1210NP	19.1210	70.1510	70.1510NP	79.1510	
	29	1"	32	10.1110	10.1110NP	19.1110	70.1512	70.1512NP	79.1512	
Side Entry	21	3/4"	25	10.1130	10.1130NP	19.1130	70.1530	70.1530NP	79.1530	
	29	1"	32	10.1230	10.1230NP	19.1230	70.1532	70.1532NP	79.1532	

Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS







PG a All dimensions are in mm.

SIDE ENTRY

SIDE ENTRY




Position of	Siz	e of	Entry	Stand	Standard Grey Coating			Black Coating (NEMA 4X)			
Cable Entry	PG	PG NPT Metric		PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief	
Top Entry	21	3/4"	25	70.1504	70.1504NP	79.1504	70.1514	70.1514NP	79.1514		
	29	1"	32	70.1506	70.1506NP	79.1506	70.1516	70.1516NP	79.1516		
Side Entry	21	3/4"	25	70.1524	70.1524NP	79.1524	70.1534	70.1534NP	79.1534		
	29	1"	32	70.1526	70.1526NP	79.1526	70.1536	70.1536NP	79.1536	I I O	

Metric hoods do not come with a neck.

	Ø		Re	stang	jula HB	IF C VE	onn Seria	ecto es	rs
HBE	24 P	ANEL	. MOI	JNT BAS	SES W	ітн (OOUBLE	E LEVE	RS
	20	0	ç.	All dimensions are in mm.					
	Descri	ption		Standard	Grey Coa	ting	Black Co	ating (NEM	1A 4X)
Pane	I Mount wit	hout Du	st Cover		.1020			70.1325	
# of	Size of	Entry	Stand	lard Grey C	PG M M M M M M M M M M M M M M M M M M M		ensions are in Coating (N		Strain
Entries			PG	NPT	Metric	PG	NPT	Metric	
2 Entries	PG NP 21 3/4'			Part # 10.1050NP	Part #	Part # 70.138		Part #	PG NPT M
1 Entry	21 3/4		10.1050 10.1040	10.1050NP 10.1040NP	19.1050 19.1040	70.138			
		_•	,						
			Mount Bas e Mount &	Cable Couple	Provide the second seco	G/NPT 0.3503 7 0.3523 7	Metric 9.3503 9.3523	Rectaegular (andraenoi

HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH DOUBLE LEVERS





Restangular Connectors


All dimensions are in mm.

Position of	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	70.1362	70.1362NP	79.1362	70.1382	70.1382NP	79.1382	
	29	1"	32	70.1364	70.1364NP	79.1364	70.1384	70.1384NP	79.1384	
1 Entry	21	3/4"	25	70.1352	70.1352NP	79.1352	70.1372	70.1372NP	79.1372	
	29	1"	32	70.1354	70.1354NP	79.1354	70.1374	70.1374NP	79.1374	

HBE 24 CABLE COUPLER HOOD WITH DOUBLE LEVERS

STANDARD PROFILE










All dimensions are in mm.

HIGH PROFILE




Drofilo	Siz	e of l	Entry	Standa	ard Grey C	oating	Black Coating (NEMA 4X)			Strain Relief	
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
Standard	21	3/4"	25	10.1270	10.1270NP	19.1270	70.1410	70.1410NP	79.1410		
	29	1"	32	10.1170	10.1170NP	19.1170	70.1412	70.1412NP	79.1412		
High Profile	21	3/4"	25	70.1404	70.1404NP	79.1404	70.1414	70.1414NP	79.1414		
	29	1"	32	70.1406	70.1406NP	79.1406	70.1416	70.1416NP	79.1416		


Metric hoods do not come with a neck.

HBE 24 HOODS WITH DOUBLE LEVERS

TOP ENTRY







Restangular Connectors




All dimensions are in mm.

Position of	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
Top Entry	21	3/4" 1"	25	10.1220	10.1220NP	19.1220	70.1560	70.1560NP	79.1560		
Side Entry	29 21	3/4"	32 25	10.1120 10.1140	10.1120NP 10.1140NP	<u>19.1120</u> 19.1140	70.1562 70.1580	70.1562NP 70.1580NP	79.1562 79.1580		
	29	1"	32	10.1240	10.1240NP	19.1240	70.1582	70.1582NP	79.1582		

Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH DOUBLE LEVERS





All dimensions are in mm.

SIDE ENTRY



Position of	Siz	e of	Entry	Stand	ard Grey C	oating	Black C	Strain			
Cable Entry		NPT	Metric	PG	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric	Relief	
Top Entry	21	3/4"	25	70.1554	70.1554NP	79.1554	70.1564	70.1564NP	79.1564		$\overline{\mathbf{A}}$
	29	1"	32	70.1556	70.1556NP	79.1556	70.1566	70.1566NP	79.1566		Δ
Side Entry	21	3/4"	25	70.1574	70.1574NP	79.1574	70.1584	70.1584NP	79.1584		Δ
	29	1"	32	70.1576	70.1576NP	79.1576	70.1586	70.1586NP	79.1586		Δ

Metric hoods do not come with a neck.

