

### HDD MACHINED CONTACTS: DIAMETER 1.6 MM






	Bags of 100									
				Silve	r		Gold			
mm		AWG	Pin	Socket	Stripping Length	Pin	Socket	Stripping Length		
0.14 -	0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8		
0.5	5	20	13.1621	13.1631	8	13.1626	13.1636	8		
0.75 -	1.0	18	13.1622	13.1632	8	13.1627	13.1637	8		
1.5	5	16	13.1623	13.1633	8	13.1628	13.1638	8		
2.5	5	14	13.1624	13.1634	5.8	-	-	-		




# HBE 24 HOODS WITH SINGLE LEVER BOLTS

**TOP ENTRY** 







Rectangular Connectors HDD Series

**SIDE ENTRY** 



All dimensions are in mm.

Position of	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21 29	3/4" 1"	25 32	10.1219	10.1219NP 10.1119NP	19.1219 19.1119	70.1490 70.1492	70.1490NP 70.1492NP	79.1490 79.1492	
Side Entry	29 21	3/4"	32 25	10.11139	10.1139NP	19.1139	70.1492	70.1492NP 70.1590NP	79.1590	
	29	1"	32	10.1239	10.1239NP	19.1239	70.1592	70.1592NP	79.1592	


Metric hoods do not come with a neck.

#### **HBE 24 HIGH PROFILE HOODS** WITH SINGLE LEVER BOLTS

**TOP ENTRY** 







SIDE ENTRY




Position of	Siz	e of	Entry	Stand	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Baliaf
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief
<b>T F</b> (										
Top Entry	21	3/4"	25	70.1444	70.1444NP	79.1444	70.1494	70.1494NP	79.1494	
	29	1"	32	70.1446	70.1446NP	79.1446	70.1496	70.1496NP	79.1496	
Side Entry	21	3/4"	25	70.1544	70.1544NP	79.1544	70.1594	70.1594NP	79.1594	
	29	1"	32	70.1546	70.1546NP	79.1546	70.1596	70.1596NP	79.1596	Ŏ 🗖 🛆
						• • •				

Metric hoods do not come with a neck.

.contactelectronics.com 800-221-1451

	estangular HDD	Connectors Series									
HBE 24 PANEL N	OUNT BASES WIT	H SINGLE LEVER									
HBE 24 PANEL MOUNT BASES WITH SINGLE LEVER $ \begin{array}{c} \hline 130} \hline 130 $											
Description	Standard Grey Coating	Black Coating (NEMA 4X)									
Panel Mount without dust cover Panel Mount with dust cover	10.1029 10.1039	70.1327 70.1337									
HBE 24 STANDARD PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER											





All dimensions are in mm.




# of	Siz	e of I	Entry	Standa	ard Grey C	oating	Black C	Strain Relief		
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	10.1059	10.1059NP	19.1059	70.1630	70.1630NP	79.1630	
1 Entry	21	3/4"	25	10.1049	10.1049NP	19.1049	70.1620	70.1620NP	79.1620	
2 with cover	21	3/4"	25	10.1099	10.1099NP	19.1099	70.1670	70.1670NP	79.1670	
1 with cover	21	3/4"	25	10.1079	10.1079NP	19.1079	70.1660	70.1660NP	79.1660	

	EMC PROTECT	ΓΙΟΝ	E 4 Rectangular Connectors
CHANGE STREET	Panel Mount Base Surface Mount & Cable Coupler Hood	<b>PG/NPT</b> 70.3503 70.3523	
	EMC Shielding is retrofit	table.	6.1 1 18 100 1000 Fragaence P(Mita)
<b>www.c</b>	contactelec 800-221-1		s.com

### HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER

Rectangular Connectors HDD Series











# of	Siz	e of E	Entry	Stand	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
2 Entries	21	3/4"	25	70.1612	70.1612NP	79.1612	70.1632	70.1632NP	79.1632		
	29	1"	32	70.1614	70.1614NP	79.1614	70.1634	70.1634NP	79.1634		
1 Entry	21	3/4"	25	70.1602	70.1602NP	79.1602	70.1622	70.1622NP	79.1622		
	29	1"	32	70.1604	70.1604NP	79.1604	70.1624	70.1624NP	79.1624		
2 Entries with	21	3/4"	25	70.1652	70.1652NP	79.1652	70.1672	70.1672NP	79.1672		
dust cover	29	1"	32	70.1654	70.1654NP	79.1654	70.1674	70.1674NP	79.1674		
1 Entry with	21	3/4"	25	70.1642	70.1642NP	79.1642	70.1662	70.1662NP	79.1662		
dust cover	29	1"	32	70.1644	70.1644NP	79.1644	70.1664	70.1664NP	79.1664		

## HBE 24 CABLE COUPLER HOODS WITH SINGLE LEVER





All dimensions are in mm.



**HIGH PROFILE** 

Durfle	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Standard	21	3/4"	25	10.1279	10.1279NP	19.1279	70.1430	70.1430NP	79.1430	
	29	1"	32	10.1179	10.1179NP	19.1179	70.1432	70.1432NP	79.1432	
High Profile	21	3/4"	25	70.1424	70.1424NP	79.1424	70.1434	70.1434NP	79.1434	
	29	1"	32	70.1426	70.1426NP	79.1426	70.1436	70.1436NP	79.1436	


Metric hoods do not come with a neck.


www.contactelectronics.com 800-221-1451

# HBE 24 HOODS WITH DOUBLE LEVER BOLTS

**TOP ENTRY** 







Rectangular Connectors HDD Series

SIDE ENTRY




	Position of	Siz	e of	Entry	Stand	ard Grey C	oating	Black C	Strain Relief			
	Cable Entry		NDT	Matria	PG	NPT	Metric	PG	NPT	Metric	PG NP	
ļ		PG	NPT	Metric	Part #	Part #	Part #	Part #	Part #	Part #	FUNF	I IVI
	Top Entry	21	3/4"	25	10.1210	10.1210NP	19.1210	70.1510	70.1510NP	79.1510		$  \Delta$
		29	1"	32	10.1110	10.1110NP	19.1110	70.1512	70.1512NP	79.1512		
	Side Entry	21	3/4"	25	10.1130	10.1130NP	19.1130	70.1530	70.1530NP	79.1530		
		29	1"	32	10.1230	10.1230NP	19.1230	70.1532	70.1532NP	79.1532		

Metric hoods do not come with a neck.

#### **HBE 24 HIGH PROFILE HOODS** WITH DOUBLE LEVER BOLTS PG of

**TOP ENTRY** 





PG a All dimensions are in mm.

SIDE ENTRY



Position of	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.1504	70.1504NP	79.1504	70.1514	70.1514NP	79.1514	
	29	1"	32	70.1506	70.1506NP	79.1506	70.1516	70.1516NP	79.1516	
Side Entry	21	3/4"	25	70.1524	70.1524NP	79.1524	70.1534	70.1534NP	79.1534	
	29	1"	32	70.1526	70.1526NP	79.1526	70.1536	70.1536NP	79.1536	Ŏ 🗖 Ă

Metric hoods do not come with a neck.


.contactelectronics.com 800-221-1451

249

	10		Res	stan	gula HD	ar ( D S	onn eries	ecto 5	<b>rs</b>		
HBE	24 P.	ANEL	MOU	NT BA	SES W	27.8	OUBLE	163 74 120 130 140	RS		
	Descri	-		Standard		ting	Black Coa		IA 4X)		
Panel	Mount wit	<mark>hout Dust</mark>	Cover	10	0.1020		7	0.1325			
<image/>											
# of	Size of	Entry					Coating (NE		Strain Relief		
Entries	PG NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M		
Entries Entry	21 3/4" 21 3/4"		10.1050	10.1050NP	19.1050	70.1380	70.1380NP	79.1380			
$\begin{array}{c c c c c c c c c c c c c c c c c c c $											

## HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH DOUBLE LEVERS





Rectangular Connectors HDD Series


All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	MA 4X)	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT I	
2 Entries	21	3/4"	25	70.1362	70.1362NP	79.1362	70.1382	70.1382NP	79.1382		$\overline{\Delta}$
	29	1"	32	70.1364	70.1364NP	79.1364	70.1384	70.1384NP	79.1384		$\overline{\Delta}$
1 Entry	21	3/4"	25	70.1352	70.1352NP	79.1352	70.1372	70.1372NP	79.1372		
	29	1"	32	70.1354	70.1354NP	79.1354	70.1374	70.1374NP	79.1374		Δ

## HBE 24 CABLE COUPLER HOOD WITH DOUBLE LEVERS

#### **STANDARD PROFILE**








All dimensions are in mm.

#### HIGH PROFILE



Profile	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
Standard	21	3/4"	25	10.1270	10.1270NP	19.1270	70.1410	70.1410NP	79.1410		$\mathbf{\Delta}$
	29	1"	32	10.1170	10.1170NP	19.1170	70.1412	70.1412NP	79.1412		$\mathbf{\Delta}$
High Profile	21	3/4"	25	70.1404	70.1404NP	79.1404	70.1414	70.1414NP	79.1414		$\mathbf{A}$
	29	1"	32	70.1406	70.1406NP	79.1406	70.1416	70.1416NP	79.1416	Ó 🗖	


Metric hoods do not come with a neck.


#### www.contactelectronics.com 800-221-1451

# HBE 24 STANDARD PROFILE HOODS WITH DOUBLE LEVERS

**TOP ENTRY** 







Rectangular Connectors HDD Series



All dimensions are in mm.


Position of	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
Top Entry	21	3/4"	25	10.1220	10.1220NP	19.1220	70.1560	70.1560NP	79.1560		
	29	1"	32	10.1120	10.1120NP	19.1120	70.1562	70.1562NP	79.1562		
Side Entry	21	3/4"	25	10.1140	10.1140NP	19.1140	70.1580	70.1580NP	79.1580		
	29	1"	32	10.1240	10.1240NP	19.1240	70.1582	70.1582NP	79.1582	Ŏ 🖬 🛆	

Metric hoods do not come with a neck.

### HBE 24 HIGH PROFILE HOODS WITH DOUBLE LEVERS







All dimensions are in mm.

**SIDE ENTRY** 



Position of	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
Top Entry	21	3/4"	25	70.1554	70.1554NP	79.1554	70.1564	70.1564NP	79.1564		$\Delta$
	29	1"	32	70.1556	70.1556NP	79.1556	70.1566	70.1566NP	79.1566		
Side Entry	21	3/4"	25	70.1574	70.1574NP	79.1574	70.1584	70.1584NP	79.1584		$\Delta$
	29	1"	32	70.1576	70.1576NP	79.1576	70.1586	70.1586NP	79.1586		
Metric boods do not come with a neck											-

Metric hoods do not come with a neck.

#### www.contactelectronics.com 800-221-1451

