




Rectangular Connectors HDD Series

HDD 144 CRIMP TERMINATED: MACHINE CONTACT INSERTS

1



View from Cable Side




These inserts fit in the HBE 32 Series Housings which are on the following pages.

	Plug	Receptacle
#1-72	11.2852	11.2862
#73-144	11.2854	11.2864

Contacts Sold Separately

Panel Cut-Out



HDD MACHINED CONTACTS: DIAMETER 1.6 MM



Bags of 100							
mm2	AWG	Silver			Gold		
		Pin	Socket	Stripping Length	Pin	Socket	Stripping Length
0.14 - 0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8
0.5	20	13.1621	13.1631	8	13.1626	13.1636	8
0.75 - 1.0	18	13.1622	13.1632	8	13.1627	13.1637	8
1.5	16	13.1623	13.1633	8	13.1628	13.1638	8
2.5	14	13.1624	13.1634	5.8	-	-	-

TOOLS



Locator
11.1472



Crimp Dies
11.1471



Crimp Tool
11.1470




Removal Tool:
11.1610

www.contactelectronics.com
800-221-1451

Rectangular Connectors HDD Series

HBE 32 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY



SIDE ENTRY




Metric hoods do not come with a neck.

Position of Cable Entry	Size of Entry			Standard Grey Coating			Strain Relief
	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	
Top Entry	29	1"	32	10.1340	10.1340NP	19.1340	PG NPT M
Side Entry	21	3/4"	25	10.1350	10.1350NP	19.1350	PG NPT M
	29	1"	32	10.1360	10.1360NP	19.1360	PG NPT M


All dimensions are in mm.

HBE 32 PANEL MOUNT BASES WITH DOUBLE LEVERS





Standard Grey Coating
10.1320

All dimensions are in mm.



HBE 32 SURFACE MOUNT BASE WITH DOUBLE LEVERS



# of Entries	Size of Entry			Standard Grey Coating			Strain Relief
	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	
2 Entries	29	1"	32	10.1380	10.1380NP	19.1380	PG NPT M
1 Entry	29	1"	32	10.1370	10.1370NP	19.1370	PG NPT M


All dimensions are in mm.

www.contactelectronics.com
800-221-1451

Rectangular Connectors HDD Series

HBE 32 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY



SIDE ENTRY



Metric hoods do not come with a neck.

Position of Cable Entry	Size of Entry			Standard Grey Coating			Strain Relief		
	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG	NPT	M
Top Entry	29	1"	32	10.1340	10.1340NP	19.1340	●	■	▲
Side Entry	21	3/4"	25	10.1350	10.1350NP	19.1350	●	■	▲
	29	1"	32	10.1360	10.1360NP	19.1360	●	■	▲

All dimensions are in mm.


HBE 32 PANEL MOUNT BASES WITH DOUBLE LEVERS



Standard Grey Coating

10.1320

All dimensions are in mm.




HBE 32 SURFACE MOUNT BASE WITH DOUBLE LEVERS



# of Entries	Size of Entry			Standard Grey Coating		
	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #
2 Entries	29	1"	32	10.1380	10.1380NP	19.1380
1 Entry	29	1"	32	10.1370	10.1370NP	19.1370


All dimensions are in mm.



HBE 32 CABLE COUPLER WITH DOUBLE LEVERS

Size of Entry			Standard Grey Coating			Strain Relief		
PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG	NPT	M
29	1"	32	10.1395	10.1395NP	19.1395	●	■	▲

All dimensions are in mm.




www.contactelectronics.com
800-221-1451

Rectangular Connectors HDD Series

HBE 32 HOOD WITH SINGLE LEVER BOLTS

TOP ENTRY



SIDE ENTRY




Metric hoods do not come with a neck.

Position of Cable Entry	Size of Entry			Black Coating			Strain Relief		
	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG	NPT	M
Top Entry	29	1"	32	10.1340SB	10.1340SBNP	19.1340SB	●	■	▲
Side Entry	21	3/4"	25	10.1350SB	10.1350SBNP	19.1350SB	●	■	▲
	29	1"	32	10.1360SB	10.1360SBNP	19.1360SB	●	■	▲

All dimensions are in mm.

HBE 32 PANEL MOUNT BASE WITH SINGLE LEVER



All dimensions are in mm.

Part #
10.1320-L

* Please note that these hoods and base are not EP.

www.contactelectronics.com
800-221-1451