HDD SERIES

The HDD series machined contact inserts are designed for a large number of contacts in narrow spaces.

These inserts fit into the HBE Series housings which are now standard with fixed levers.

of Contacts: 24, 42, 72, 108,









TECHNICAL DATA

Inserts:

Rated Current:

 Number of Contacts:
 24, 42, 72, 108, 144, 216 (+PE)

 Rated Voltage:
 VDE: 250V EPIC HDD 24-216

UL: 600V EPIC HDD 24-216 CSA: 600V EPIC HDD 24-216 SEV: 250V EPIC HDD 24-216 VDE: 10A EPIC HDD 24-216

UL: 8.5A EPIC HDD 24-216 SEV: 10A EPIC HDD 24-216 CSA: 20A EPIC HDD 24-216

Pollution Level: 3 **Test Voltage:** 4 kV

Temperature Range:

Termination Type: Crimp termination: 0.14 - 2.5mm2

AWG: 22 - 14 -40°C to 125°C


Contacts: Copper alloy, silver plated/ gold plated

Contact Resistance: <2mOhm


Mating Cycles: 100 (higher mating cycles depends on the application)

TECHNICAL DATA: DERATING CURVES

HDD CRIMP MACHINED: 1.5 mm2 (16 AWG)



HDD CRIMP MACHINED: 2.5 mm² (14 AWG)



Ambient Temperature (°C)

TECHNICAL DATA: HOUSINGS

Specifications: DIN 43652 **Temperature Range:** -40°C to +125°C

Protection class: IP65

Material: Aluminum alloy, powder coated

STANDARD GREY COATING (NEMA 4)

HBE 6-48: aluminum alloy, powder coated (grey), locking levers and bolts made of zinc plated steel.

For industrial applications in demanding environments.

BLACK COATING (NEMA 4X)

PG NPT METRIC

WETRIC

HBE 6 - 48 EP: Environmentally Protected: aluminum alloy, powder coated (black), locking levers and bolts made of stainless steel.

For industrial applications in extremely demanding environments with aggressive atmospheres.

NEMA 4X

TECHNICAL DATA: HOUSINGS


PANEL CUT-OUTS FOR PANEL MOUNT BASES

Specifications: DIN 43652 **Temperature Range:** -40°C to +125°C


Protection class: IP65

Material: Aluminum alloy, powder coated


HDD 24 Inserts fit into




HDD 72 Inserts fit into




HDD 144 Insert




HDD 42 Inserts fit into



HDD 108 Inserts fit into




HDD 216 Inserts fit into



All dimensions are in mm.

HDD 24 CRIMP TERMINATED: MACHINE CONTACT






Panel Cut-Out

These inserts fit in the HBE 6 Series Housings which are on the following pages.

Plug	Receptacle
11.2850	11.2860

All dimensions are in mm.

Contacts Sold Separately



HDD MACHINED CONTACTS: DIAMETER 1.6 MM





	Bags of 100											
			Silve	er		Gold						
mm2	AWG	Pin	Socket	Stripping Length	Pin	Socket	Stripping Length					
0.14 - 0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8					
0.5	20	13.1621	13.1631	8	13.1626	13.1636	8					
0.75 - 1.0	18	13.1622	13.1632	8	13.1627	13.1637	8					
1.5	16	13.1623	13.1633	8	13.1628	13.1638	8					
2.5	14	13.1624	13.1634	5.8	-	-	-					

TOOLS







Crimp Dies




Crimp Tool 11.1470



Removal Tool: 11.1610


HBE 6 HOODS WITH SINGLE LEVER BOLTS



Position of Size of Entry				Standa	ard Grey C	Coating Black Coating (NEMA 4X)			Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part#	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	13.5	1/2"	20	10.0110	10.0110NP	19.0110	70.0216	70.0216NP	79.0216	\bigcirc \square \triangle
	16	1/2"	25	10.0210	10.0210NP	19.0210	70.0210	70.0210NP	79.0210	
Side Entry	13.5	1/2"	20	10.0120	10.0120NP	19.0120	70.0236	70.0236NP	79.0236	
	16	1/2"	25	10.0220	10.0220NP	19.0220	70.0230	70.0230NP	79.0230	

Metric hoods do not come with a neck.

HBE 6 HIGH PROFILE HOODS WITH SINGLE LEVER BOLTS




Position of	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief PG NPT M
Top Entry	21	3/4"	25	70.0202	70.0202NP	79.0202	70.0212	70.0212NP		
	29	1"	32	70.0204	70.0204NP	79.0204	70.0214	70.0214NP	79.0214	Ŏ T
Side Entry	21	3/4"	25	70.0222	70.0222NP	79.0222	70.0232	70.0232NP	79.0232	
	29	1"	32	70.0224	70.0224NP	79.0224	70.0234	70.0234NP	79.0234	

Metric hoods do not come with a neck.



HBE 6 PANEL MOUNT BASES WITH SINGLE LEVER










All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without Dust Cover	10.0030	70.0025
Panel Mount with Dust Cover	10.0040	70.0045

HBE 6 SURFACE MOUNT BASES WITH SINGLE LEVER







ΑII	dime	ensions	are	ın	mm	


# of	Size of Entry			Standard Grey Coating			Black C	oating (NE	MA 4X)	Strain Relief
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	16	1/2"	20 25	10.0060	10.0060NP	19.0060 79.0066	70.0080	70.0080NP	79.0080 79.0086	
1 Entry	16	1/2"	20 25	10.0050	10.0050NP	19.0050 79.0056	70.0070	70.0070NP	79.0070 79.0076	
2 Entries with dust cover	16	1/2"	20 25	10.0090	10.0090NP	19.0090 79.0166	70.0180	70.0180NP	79.0180 79.0186	
1 Entry with dust cover	16	1/2"	20 25	10.0070	10.0070NP	19.0070 79.0156	70.0170	70.0170NP	79.0170 79.0176	



EMC PROTECTION


	PG/NPT	Metric
Panel Mount Base	70.3500	79.3500
Surface Mount & Cable Coupler Hood	70.3520	79.3520

EMC Shielding is retrofittable.



HBE 6 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER








ΔΙΙ	dimar	nsions	ara	in	mm	
AII	ullilei	1510115	ale	ш	111111	ı


# of	Siz	e of I	Entry	Stand	dard Grey Coating Black			oating (NE	MA 4X)	Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT I	
2 Entries	21	3/4"	25	70.0062	70.0062NP	79.0062	70.0082	70.0082NP	79.0082		Δ
	29	1"	32	70.0064	70.0064NP	79.0064	70.0084	70.0084NP	79.0084		
1 Entry	21	3/4"	25	70.0052	70.0052NP	79.0052	70.0072	70.0072NP	79.0072		
	29	1"	32	70.0054	70.0054NP	79.0054	70.0074	70.0074NP	79.0074		
2 Entries with	21	3/4"	25	70.0162	70.0162NP	79.0162	70.0182	70.0182NP	79.0182		Δ
dust cover	29	1"	32	70.0164	70.0164NP	79.0164	70.0184	70.0184NP	79.0184		
1 Entry with	21	3/4"	25	70.0152	70.0152NP	79.0152	70.0172	70.0172NP	79.0172		$\overline{\Delta}$
dust cover	29	1"	32	70.0154	70.0154NP	79.0154	70.0174	70.0174NP	79.0174		$\overline{\Delta}$


HBE 6 CABLE COUPLER HOOD WITH SINGLE LEVER

STANDARD PROFILE









	D (''	Siz	e of l	Entry	Stand	Standard Grey Coating			Black Coating (NEMA 4X)		
	Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief PG NPT M
- ;	Standard	13.5	1/2"	20	10.0140	10.0140NP	19.0140	-	-	79.0110	
	Profile	16	1/2"	25	10.0240	10.0240NP	19.0240	70.0110	70.0110NP	79.0116	
	High	21	3/4"	25	70.0102	70.0102NP	79.0102	70.0112	70.0112NP	79.0112	
	Profile	29	1"	32	70.0104	70.0104NP	79.0104	70.0114	70.0114NP	79.0114	

Metric hoods do not come with a neck.

HDD 42 CRIMP TERMINATED: MACHINE CONTACT



63.5 Receptacle

View from Cable Side


All dimensions are in mm.

These inserts fit in the HBE 10 Series Housings which are on the following pages.

 Plug
 Receptacle

 11.2851
 11.2861

Contacts Sold Separately



63.5

HDD MACHINED CONTACTS: DIAMETER 1.6 MM





	Bags of 100										
			Silve	er		Gold					
mm2	AWG	Pin	Socket	Stripping Length	Pin	Socket	Stripping Length				
0.14 - 0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8				
0.5	20	13.1621	13.1631	8	13.1626	13.1636	8				
0.75 - 1.0	18	13.1622	13.1632	8	13.1627	13.1637	8				
1.5	16	13.1623	13.1633	8	13.1628	13.1638	8				
2.5	14	13.1624	13.1634	5.8	-	-	-				

TOOLS










Locator 11.1472

Crimp Dies

Crimp Tool 11.1470

Removal Tool: 11.1610

HBE 10 HOODS WITH SINGLE LEVER BOLTS




All dimensions are in mm.


Position of	Siz	e of	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT N	М
Top Entry	16	1/2"	20	10.0409	10.0409NP	19.0409	70.0490	70.0490NP	79.0490	$\bigcirc \square$ \bot	
	21	3/4"	25	10.0407	10.0407NP	19.0407	70.0496	70.0496NP	79.0496		
Side Entry	16	1/2"	20	10.0429	10.0429NP	19.0429	70.0590	70.0590NP	79.0590		
	21	3/4"	25	10.0428	10.0428NP	19.0428	70.0596	70.0596NP	79.0596		$\overline{\Delta}$

Metric hoods do not come with a neck.

HBE 10 HIGH PROFILE HOODS WITH SINGLE LEVER BOLTS










All dimensions are in mm.

Position of Size of Entry				Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.0442	70.0442NP	79.0442	70.0492	70.0492NP	79.0492	
	29	1"	32	70.0444	70.0444NP	79.0444	70.0494	70.0494NP	79.0494	
Side Entry	21	3/4"	25	70.0542	70.0542NP	79.0542	70.0592	70.0592NP	79.0592	
	29	1"	32	70.0544	70.0544NP	79.0544	70.0594	70.0594NP	79.0594	

Metric hoods do not come with a neck.


HBE 10 PANEL MOUNT BASES WITH SINGLE LEVER



All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without Dust Cover	10.0329	70.0327
Panel Mount with Dust Cover	10.0339	70.0337

HBE 10 SURFACE MOUNT BASES WITH SINGLE LEVER




All dimensions are in mm.

# of	Siz	e of I	Entry	Standa	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief	
Entries	PG	NPT	Metric	PG Part #						PG NPT M	
2 Entries	16	1/2"	20	10.0359	10.0359NP	19.0359	70.0630	70.0630NP	79.0630		
			25	-	-	79.0616	-	-	79.0636		
1 Entry	16	1/2"	20	10.0349	10.0349NP	19.0349	70.0620	70.0620NP	79.0620		
	21	3/4"	25	10.0347	10.0347NP	19.0347	-	-	79.0626		
2 Entries with	16	1/2"	20	10.0389	10.0389NP	19.0389	70.0670	70.0670NP	79.0670		
dust cover			25	-	-	79.0656	-	-	79.0676		
1 Entry with	16	1/2"	20	10.0369	10.0369NP	19.0369	70.0660	70.0660NP	79.0660		
dust cover			25	-	-	79.0646	-	-	79.0666		

HBE 10 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER








ΔII	dıma	nsions	ara	ın	mm
\sim	ullic	11310113	aıc	111	1111111.

# of	# of Size of Entry				Standard Grey Coating			Black Coating (NEMA 4X)			in ef
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NP1	
2 Entries	21	3/4"	25	70.0612	70.0612NP	79.0612	70.0632	70.0632NP	79.0632		Δ
	29	1"	32	70.0614	70.0614NP	79.0614	70.0634	70.0634NP	79.0634		
1 Entry	21	3/4"	25	70.0602	70.0602NP	79.0602	70.0622	70.0622NP	79.0622		
	29	1"	32	70.0604	70.0604NP	79.0604	70.0624	70.0624NP	79.0624		
2 Entries with	21	3/4"	25	70.0652	70.0652NP	79.0652	70.0672	70.0672NP	79.0672		
dust cover	29	1"	32	70.0654	70.0654NP	79.0654	70.0674	70.0674NP	79.0674		
1 Entry with	21	3/4"	25	70.0642	70.0642NP	79.0642	70.0662	70.0662NP	79.0662		Δ
dust cover	29	1"	32	70.0644	70.0644NP	79.0644	70.0664	70.0664NP	79.0664		

HBE 10 CABLE COUPLER HOOD WITH SINGLE LEVER

STANDARD PROFILE









All dimensions are in mm.

D. Cile	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain
Profile				PG	NPT	Metric	PG	NPT	Metric	Relief
	PG	NPT	Metric	Part #	Part #	Part #	Part #	Part #	Part #	PG NPT M
Standard	16	1/2"	20	10.0469	10.0469NP	19.0469	70.0430	70.0430NP	79.0430	
Profile	21	3/4"	25	70.0422	70.0422NP	79.0422	70.0432	70.0432NP	79.0432	
High	21	3/4"	25	70.0424	70.0424NP	79.0424	70.0434	70.0434NP	79.0434	
Profile	29	1"	32	70.0426	70.0426NP	79.0426	70.0436	70.0436NP	79.0436	


Metric hoods do not come with a neck.




HBE 10 HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY









All dimensions are in mm.


Position of	Siz	e of l	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	16	1/2"	20	10.0400	10.0400NP	19.0400	70.0510	70.0510NP	79.0510	
	21	3/4"	25	10.0401	10.0401NP	19.0401	70.0512	70.0512NP	79.0512	
Side Entry	16	1/2"	20	10.0420	10.0420NP	19.0420	70.0530	70.0530NP	79.0530	
	21	3/4"	25	10.0421	10.0421NP	19.0421	70.0532	70.0532NP	79.0532	


Metric hoods do not come with a neck.

HBE 10 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY










All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.0504	70.0504NP	79.0504	70.0514	70.0514NP	79.0514	
	29	1"	32	70.0506	70.0506NP	79.0506	70.0516	70.0516NP	79.0516	
Side Entry	21	3/4"	25	70.0524	70.0524NP	79.0524	70.0534	70.0534NP	79.0534	
	29	1"	32	70.0526	70.0526NP	79.0526	70.0536	70.0536NP	79.0536	

Metric hoods do not come with a neck.

HBE 10 PANEL MOUNT BASES WITH DOUBLE LEVERS






All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without Dust Cover	10.0320	70.0325

HBE 10 SURFACE MOUNT BASES WITH DOUBLE LEVERS





All dimensions are in mm.


# of	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	16	1/2"	20	10.0350	10.0350NP	19.0350	70.0380	70.0380NP	79.0380	O 🔲 🛕
			25	-	-	19.0351	-	-	79.0386	
1 Entry	16	1/2"	20	10.0340	10.0340NP	19.0340	70.0370	70.0370NP	79.0370	
			25	-	-	19.0341	-	_	79.0376	



EMC PROTECTION


	PG/NPT	Metric
Panel Mount Base	70.3501	79.3501
Surface Mount & Cable Coupler Hood	70.3521	79.3521

EMC Shielding is retrofittable.



HBE 10 HIGH PROFILE SURFACE MOUNT BASES WITH DOUBLE LEVERS






All dimensions are in mm.


# of	Siz	e of l	Entry	Standard Grey Coating			Black C	Strain Relief		
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT N
2 Entries	21	3/4"	25	70.0362	70.0362NP	79.0362	70.0382	70.0382NP	79.0382	
	29	1"	32	70.0364	70.0364NP	79.0364	70.0384	70.0384NP	79.0384	
1 Entry	21	3/4"	25	70.0352	70.0352NP	79.0352	70.0372	70.0372NP	79.0372	
	29	1"	32	70.0354	70.0354NP	79.0354	70.0374	70.0374NP	79.0374	

HBE 10 CABLE COUPLER HOOD WITH DOUBLE LEVER

STANDARD PROFILE

HIGH PROFILE





All dimensions are in mm.

5 (1)	Siz	e of I	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief PG NPT M
Standard	16	1/2"	20	10.0460	10.0460NP	19.0460	70.0410	70.0410NP	79.0410	
Profile	21	3/4"	25	70.0402	70.0402NP	79.0402	70.0412	70.0412NP	79.0412	
High	21	3/4"	25	70.0404	70.0404NP	79.0404	70.0414	70.0414NP	79.0414	
Profile	29	1"	32	70.0406	70.0406NP	79.0406	70.0416	70.0416NP	79.0416	


Metric hoods do not come with a neck.




HBE 10 HOODS WITH DOUBLE LEVERS

TOP ENTRY











All dimensions are in mm.


Position of	Size of Entry			Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	16	1/2"	20	10.0410	10.0410NP	19.0410	70.0560	70.0560NP	79.0560	O 🔲 🛕
			25	-	-	79.0557	-	-	79.0566	
Side Entry	16	1/2"	20	10.0450	10.0450NP	19.0450	70.0580	70.0580NP	79.0580	
			25	-	-	79.0577	-	-	79.0586	


Metric hoods do not come with a neck.

HBE 10 HIGH PROFILE HOODS WITH DOUBLE LEVERS

TOP ENTRY









SIDE ENTRY


All dimensions are in mm.

Position of	Siz	e of	Entry	Standard Grey Coating Black Coating (NEMA				MA 4X)	Strair Relie		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
Top Entry	21	3/4"	25	70.0552	70.0552NP	79.0552	70.0562	70.0562NP	79.0562		$\overline{\mathbf{A}}$
	29	1"	32	70.0554	70.0554NP	79.0554	70.0564	70.0564NP	79.0564	Ŏ	
Side Entry	21	3/4"	25	70.0572	70.0572NP	79.0572	70.0582	70.0582NP	79.0582		
	29	1"	32	70.0574	70.0574NP	79.0574	70.0584	70.0584NP	79.0584		

Metric hoods do not come with a neck.

HBE 10 PANEL MOUNT BASES WITH DOUBLE LEVER BOLTS






All dimensions are in mm.


Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount with Dust Cover	10.0330	70.0335

HBE 10 SURFACE MOUNT BASES WITH DOUBLE BOLTS

STANDARD PROFILE







All dimensions are in mm.

STANDARD PROFILE

# of	Siz	e of E	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief PG NPT M
2 Entries	16	1/2"	20	10.0380	10.0380NP	19.0380	70.0480	70.0480NP	79.0480	$\bigcirc \square \triangle$
			25	-	=	79.0466	-	-	79.0486	
1 Entry	16	1/2"	20	10.0360	10.0360NP	19.0360	70.0470	70.0470NP	79.0470	
			25	-	-	19.0361	-	-	79.0476	

HIGH PROFILE

# of	Siz	e of I	Entry	Standa	ard Grey C	oating	Black Coating (NEMA 4X)			Strain
Entries	DC.	NDT	Matria	PG	NPT	Metric	PG	NPT	Metric	Relief PG NPT M
	PG	NPT	Metric		Part #	Part #	Part #	Part #	Part #	PG NPT W
2 Entries	21	3/4"	25	70.0462	70.0462NP	79.0462	70.0482	70.0482NP	79.0482	
	29	1"	32	70.0464	70.0464NP	79.0464	70.0484	70.0484NP	79.0484	
1 Entry	21	3/4"	25	70.0452	70.0452NP	79.0452	70.0472	70.0472NP	79.0472	
_	29	1"	32	70.0454	70.0454NP	79.0454	70.0474	70.0474NP	79.0474	Ŏ I A

HDD 72 CRIMP TERMINATED: MACHINE CONTACT INSERTS



View from Cable Side

All dimensions are in mm.

These inserts fit in the HBE 16 Series Housings which are on the following pages.

Plug	Receptacle
11.2852	11.2862

Contacts Sold Separately

Panel Cut-Out



HDD MACHINED CONTACTS: DIAMETER 1.6 MM





	Bags of 100									
			Silve	r		Gold				
mm2	AWG	Pin	Socket	Stripping Length	Pin	Socket	Stripping Length			
0.14 - 0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8			
0.5	20	13.1621	13.1631	8	13.1626	13.1636	8			
0.75 - 1.0	18	13.1622	13.1632	8	13.1627	13.1637	8			
1.5	16	13.1623	13.1633	8	13.1628	13.1638	8			
2.5	14	13.1624	13.1634	5.8	-	-	-			

TOOLS










Locator 11.1472

Crimp Dies 11.1471

Crimp Tool 11.1470

Removal Tool: 11.1610

HBE 16 HOODS WITH SINGLE LEVER BOLTS




Position of	Siz	e of I	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	10.0809	10.0809NP	19.0809	70.0990	70.0990NP	79.0990	
	29	1"	32	10.0909	10.0909NP	19.0909	-	-	-	
Side Entry	21	3/4"	25	10.0829	10.0829NP	19.0829	70.1090	70.1090NP	79.1090	
	29	1"	32	10.0929	10.0929NP	19.0929	-	-	-	


Metric hoods do not come with a neck.

HBE 16 HIGH PROFILE HOODS WITH SINGLE LEVER BOLTS



TOP ENTRY








All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.0942	70.0942NP	79.0942	70.0992	70.0992NP	79.0992	
	29	1"	32	70.0944	70.0944NP	79.0944	70.0994	70.0994NP	79.0994	Ŏ 🗖 🛣
Side Entry	21	3/4"	25	70.1042	70.1042NP	79.1042	70.1092	70.1092NP	79.1092	
	29	1"	32	70.1044	70.1044NP	79.1044	70.1094	70.1094NP	79.1094	

Metric hoods do not come with a neck.


HBE 16 PANEL MOUNT BASES WITH SINGLE LEVER



All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel mount without dust cover	10.0729	70.0827
Panel mount with dust cover	10.0739	70.0837

HBE 16 SURFACE MOUNT BASES WITH SINGLE LEVER




All dimensions are in mm.

# of	Siz	e of I	Entry	Standard Grey Coating			Black C	oating (NE	MA 4X)	Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
2 Entries	21	3/4"	25	10.0759	10.0759NP	19.0759	70.1130	70.1130NP	79.1130		
1 Entry	21	3/4"	25	10.0749	10.0749NP	19.0749	70.1120	70.1120NP	79.1120		
2 Entries with dust cover	21	3/4"	25	10.0789	10.0789NP	19.0789	70.1170	70.1170NP	79.1170		
1 Entry with dust cover	21	3/4"	25	10.0769	10.0769NP	19.0769	70.1160	70.1160NP	79.1160		

HBE 16 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER








7 II 7 II	nanaiana	Oro II	a mm
All Oll	nensions	ale II	


# of	Siz	e of E	Entry	Standa	ard Grey C	oating	Black C	MA 4X)	Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	70.1112	70.1112NP	79.1112	70.1132	70.1132NP	79.1132	
	29	1"	32	70.1114	70.1114NP	79.1114	70.1134	70.1134NP	79.1134	
1 Entry	21	3/4"	25	70.1102	70.1102NP	79.1102	70.1122	70.1122NP	79.1122	
	29	1"	32	70.1104	70.1104NP	79.1104	70.1124	70.1124NP	79.1124	
2 Entries with	21	3/4"	25	70.1152	70.1152NP	79.1152	70.1172	70.1172NP	79.1172	
dust cover	29	1"	32	70.1154	70.1154NP	79.1154	70.1174	70.1174NP	79.1174	
1 Entry with	21	3/4"	25	70.1142	70.1142NP	79.1142	70.1162	70.1162NP	79.1162	
dust cover	29	1"	32	70.1144	70.1144NP	79.1144	70.1164	70.1164NP	79.1164	

HBE 16 CABLE COUPLER HOODS WITH SINGLE LEVER

STANDARD PROFILE







HIGH PROFILE




D (1)	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief	
Profile				PG	NPT	Metric	PG	NPT	Metric		
	PG	NPT	Metric	Part #	Part #	Part #	Part #	Part #	Part #	PG NPT	M
Standard	21	3/4"	25	10.0869	10.0869NP	19.0869	70.0930	70.0930NP	79.0930		$\overline{\Delta}$
	29	1"	32	10.0969	10.0969NP	19.0969	70.0969	70.0969NP	79.0969		
High	21	3/4"	25	70.0922	70.0922NP	79.0922	70.0932	70.0932NP	79.0932		$\overline{\Delta}$
	29	1"	32	70.0924	70.0924NP	79.0924	70.0934	70.0934NP	79.0934		


Metric hoods do not come with a neck.

HBE 16 HOODS WITH DOUBLE LEVER BOLTS











All dimensions are in mm.


Position	of	Siz	e of I	Entry	Stand	ard Grey C	oating	Black C	Strain Relief			
Cable Ent		PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
Top Entry		21	3/4"	25	10.0800	10.0800NP	19.0800	70.1010	70.1010NP	79.1010		$\overline{\Delta}$
		29	1"	32	10.0900	10.0900NP	19.0900	-	-	-		\triangle
Side Entry		21	3/4"	25	10.0820	10.0820NP	19.0820	70.1030	70.1030NP	79.1030		
		29	1"	32	10.0920	10.0920NP	19.0920	-	-	-		


Metric hoods do not come with a neck.

HBE 16 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS

TOP ENTRY










All dimensions are in mm.


Position of	Siz	e of l	Entry	Standa	ard Grey C	oating	Black C	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
	FG		Metric	Pail#	Pail#		Pail#		i dit ii	0 141 1 111
Top Entry	21	3/4"	25	70.1002	70.1002NP	79.1002	70.1012	70.1012NP	79.1012	
	29	1"	32	70.1004	70.1004NP	79.1004	70.1014	70.1014NP	79.1014	
Side Entry	21	3/4"	25	70.1022	70.1022NP	79.1022	70.1032	70.1032NP	79.1032	
	29	1"	32	70.1024	70.1024NP	79.1024	70.1034	70.1034NP	79.1034	

Metric hoods do not come with a neck.

HBE 16 PANEL MOUNT BASES WITH DOUBLE LEVERS








All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without Dust Cover	10.0720	70.0825

HBE 16 SURFACE MOUNT BASES WITH DOUBLE LEVERS






All dimensions are in mm.

Mounting	Size of Entry			Standard Grey Coating			Black C	MA 4X)	Strain Relief	
Туре	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	10.0750	10.0750NP	19.0750	70.0880	70.0880NP	79.0880	
1 Entry	21	3/4"	25	10.0740	10.0740NP	19.0740	70.0870	70.0870NP	79.0870	

EMC PROTECTION




	PG/NPT	Metric
	70.3502	
Surface Mount & Cable Coupler Hood	70.3522	79.3522



EMC Shielding is retrofittable.

HBE 16 HIGH PROFILE BASES WITH DOUBLE LEVERS






All dimensions are in mm.

# of	Siz	e of E	Entry	Standard Grey Coating			Black C	MA 4X)	Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	70.0862	70.0862NP	79.0862	70.0882	70.0882NP	79.0882	
	29	1"	32	70.0864	70.0864NP	79.0864	70.0884	70.0884NP	79.0884	
1 Entry	21	3/4"	25	70.0852	70.0852NP	79.0852	70.0872	70.0872NP	79.0872	
	29	1"	32	70.0854	70.0854NP	79.0854	70.0874	70.0874NP	79.0874	

HBE 16 CABLE COUPLER HOODS WITH DOUBLE LEVERS


STANDARD PROFILE





All dimensions are in mm.

HIGH PROFILE




	Siz	e of I	Entry	Stand	ard Grey C	oating	Black C	MA 4X)	Strain		
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief PG NPT	
Standard	21	3/4"	25	10.0860	10.0860NP	19.0860	70.0910	70.0910NP	79.0910		Δ
	29	1"	32	10.0960	10.0960NP	19.0960	-	-	-		Δ
High	21	3/4"	25	70.0902	70.0902NP	79.0902	70.0912	70.0912NP	79.0912		Δ
	29	1"	32	70.0904	70.0904NP	79.0904	70.0914	70.0914NP	79.0914		Δ


Metric hoods do not come with a neck.

HBE 16 HOODS WITH DOUBLE LEVERS











All dimensions are in mm.


Position of	Size of Entry			Standard Grey Coating			Black C	Strain Relief			
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
Top Entry	21	3/4"	25	10.0810	10.0810NP	19.0810	70.1060	70.1060NP	79.1060		$\overline{f \Delta}$
	29	1"	32	10.0910	10.0910NP	19.0910	-	-	-		lack
Side Entry	21	3/4"	25	10.0830	10.0830NP	19.0830	70.1080	70.1080NP	79.1080		$\overline{\Delta}$
	29	1"	32	10.0930	10.0930NP	19.0930	-	-	-		


Metric hoods do not come with a neck.

HBE 16 HIGH PROFILE HOODS WITH DOUBLE LEVERS

TOP ENTRY









SIDE ENTRY


All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	70.1052	70.1052NP	79.1052	70.1062	70.1062NP	79.1062	
	29	1"	32	70.1054	70.1054NP	79.1054	70.1064	70.1064NP	79.1064	
Side Entry	21	3/4"	25	70.1072	70.1072NP	79.1072	70.1082	70.1082NP	79.1082	
	29	1"	32	70.1074	70.1074NP	79.1074	70.1084	70.1084NP	79.1084	

Metric hoods do not come with a neck.

HBE 16 PANEL MOUNT BASES WITH DOUBLE LEVER BOLTS






All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount with Dust Cover	10.0730	70.0835
Panel Mount without Dust Cover	10.0731	-

HBE 16 SURFACE MOUNT BASES WITH DOUBLE LEVER BOLTS


STANDARD PROFILE





All dimensions are in mm.

HIGH PROFILE




# of	Siz	e of I	Entry	Stand	ard Grey C	oating	ing Black Coating (NEMA 4X)				
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	Relief PG NPT M	
2 Entries	21	3/4"	25	70.0960	70.0960NP	79.0960	70.0980	70.0980NP	79.0980		
1 Entry	21	3/4"	25	10.0760	10.0760NP	19.0970	70.0970	70.0970NP	79.0970		
High Profile	21	3/4"	25	70.0962	70.0962NP	79.0962	70.0982	70.0982NP	79.0982		
with 2 Entries	29	1"	32	70.0964	70.0964NP	79.0964	70.0984	70.0984NP	79.0984		
High Profile	21	3/4"	25	70.0952	70.0952NP	79.0952	70.0972	70.0972NP	79.0972		
with 1 Entry	29	1"	32	70.0954	70.0954NP	79.0954	70.0974	70.0974NP	79.0974		

EMC PROTECTION


	PG/NPT	Metric
	70.3502	
Surface Mount & Cable Coupler Hood	70.3522	79.3522

EMC Shielding is retrofittable.



HDD 108 CRIMP TERMINATED: MACHINE CONTACT





View from Cable Side

All dimensions are in mm.

These inserts fit in the HBE 24 Series Housings which are on the following pages.

 Plug
 Receptacle

 11.2853
 11.2863

Contacts Sold Separately

Panel Cut-Out



HDD MACHINED CONTACTS: DIAMETER 1.6 MM





	Bags of 100										
			Silve	Iver Gold							
mm2	AWG	Pin	Socket	Stripping Length	Pin	Socket	Stripping Length				
0.14 - 0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8				
0.5	20	13.1621	13.1631	8	13.1626	13.1636	8				
0.75 - 1.0	18	13.1622	13.1632	8	13.1627	13.1637	8				
1.5	16	13.1623	13.1633	8	13.1628	13.1638	8				
2.5	14	13.1624	13.1634	5.8	-	-	-				

TOOLS









Locator 11.1472

Crimp Dies


Crimp Tool 11.1470


Removal Tool: 11.1610

HBE 24 HOODS WITH SINGLE LEVER BOLTS











All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	21	3/4"	25	10.1219	10.1219NP	19.1219	70.1490	70.1490NP	79.1490	
	29	1"	32	10.1119	10.1119NP	19.1119	70.1492	70.1492NP	79.1492	
Side Entry	21	3/4"	25	10.1139	10.1139NP	19.1139	70.1590	70.1590NP	79.1590	
	29	1"	32	10.1239	10.1239NP	19.1239	70.1592	70.1592NP	79.1592	


Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH SINGLE LEVER BOLTS

TOP ENTRY












All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
Top Entry	21	3/4"	25	70.1444	70.1444NP	79.1444	70.1494	70.1494NP	79.1494		$\overline{\Delta}$
	29	1"	32	70.1446	70.1446NP	79.1446	70.1496	70.1496NP	79.1496		
Side Entry	21	3/4"	25	70.1544	70.1544NP	79.1544	70.1594	70.1594NP	79.1594		
	29	1"	32	70.1546	70.1546NP	79.1546	70.1596	70.1596NP	79.1596		$\overline{\Delta}$

Metric hoods do not come with a neck.


HBE 24 PANEL MOUNT BASES WITH SINGLE LEVER




All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without dust cover	10.1029	70.1327
Panel Mount with dust cover	10.1039	70.1337

HBE 24 STANDARD PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER







All dimensions are in mm.


# of	Siz	e of E	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT I	
2 Entries	21	3/4"	25	10.1059	10.1059NP	19.1059	70.1630	70.1630NP	79.1630		$\overline{\Delta}$
1 Entry	21	3/4"	25	10.1049	10.1049NP	19.1049	70.1620	70.1620NP	79.1620		Δ
2 with cover	21	3/4"	25	10.1099	10.1099NP	19.1099	70.1670	70.1670NP	79.1670		Δ
1 with cover	21	3/4"	25	10.1079	10.1079NP	19.1079	70.1660	70.1660NP	79.1660		Δ



EMC PROTECTION


	PG/NPT	Metric
Panel Mount Base	70.3503	
Surface Mount & Cable Coupler Hood	70.3523	79.3523

EMC Shielding is retrofittable.



HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH SINGLE LEVER








ΔΙΙ	dıma	nsions	ara	ın	mm
\neg III	ullic	11310113	aıc	111	

# of	Siz	Size of Entry Standard Grey Coating Black Coating (NEMA						MA 4X)	Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	70.1612	70.1612NP	79.1612	70.1632	70.1632NP	79.1632	
	29	1"	32	70.1614	70.1614NP	79.1614	70.1634	70.1634NP	79.1634	
1 Entry	21	3/4"	25	70.1602	70.1602NP	79.1602	70.1622	70.1622NP	79.1622	
	29	1"	32	70.1604	70.1604NP	79.1604	70.1624	70.1624NP	79.1624	
2 Entries with	21	3/4"	25	70.1652	70.1652NP	79.1652	70.1672	70.1672NP	79.1672	
dust cover	29	1"	32	70.1654	70.1654NP	79.1654	70.1674	70.1674NP	79.1674	
1 Entry with	21	3/4"	25	70.1642	70.1642NP	79.1642	70.1662	70.1662NP	79.1662	
dust cover	29	1"	32	70.1644	70.1644NP	79.1644	70.1664	70.1664NP	79.1664	

HBE 24 CABLE COUPLER HOODS WITH SINGLE LEVER


STANDARD PROFILE







HIGH PROFILE




D (1)	Siz	e of	Entry	Standa	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
Standard	21	3/4"		10.1279	10.1279NP	19.1279	70.1430	70.1430NP	79.1430	
Stariuaru			25							
	29	1"	32	10.1179	10.1179NP	19.1179	70.1432	70.1432NP	79.1432	
High Profile	21	3/4"	25	70.1424	70.1424NP	79.1424	70.1434	70.1434NP	79.1434	
	29	1"	32	70.1426	70.1426NP	79.1426	70.1436	70.1436NP	79.1436	


Metric hoods do not come with a neck.

HBE 24 HOODS WITH DOUBLE LEVER BOLTS











All dimensions are in mm.

Strain Size of Entry **Black Coating (NEMA 4X)** Standard Grey Coating Position of Relief Cable Entry PG **NPT** Metric PG **NPT** Metric **NPT Metric** PG NPT M PG Part # Part # Part # Part # Part # Part # Top Entry 21 3/4" 25 10.1210 10.1210NP 19.1210 70.1510 70.1510NP 79.1510 29 79.1512 1" 32 10.1110 10.1110NP 19.1110 70.1512 70.1512NP Side Entry 21 3/4 25 10.1130 10.1130NP 19.1130 70.1530 70.1530NP 79.1530 29 32 70.1532 1" 10.1230 10.1230NP 19.1230 70.1532NP 79.1532


Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS












All dimensions are in mm.

Position of	Siz	e of l	Entry	Standard Grey Coating			Black C	oating (NE	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NP	
Top Entry	21	3/4"	25	70.1504	70.1504NP	79.1504	70.1514	70.1514NP	79.1514		\triangle
	29	1"	32	70.1506	70.1506NP	79.1506	70.1516	70.1516NP	79.1516		
Side Entry	21	3/4"	25	70.1524	70.1524NP	79.1524	70.1534	70.1534NP	79.1534		
	29	1"	32	70.1526	70.1526NP	79.1526	70.1536	70.1536NP	79.1536	Ŏ	$\overline{\Delta}$

Metric hoods do not come with a neck.

HBE 24 PANEL MOUNT BASES WITH DOUBLE LEVERS






All dimensions are in mm.

Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount without Dust Cover	10.1020	70.1325

HBE 24 SURFACE MOUNT BASES WITH DOUBLE LEVERS





All dimensions are in mm.


# of	Siz	e of E	Entry	Standa	ard Grey C	oating	Black C	oating (NE	MA 4X)	Strain Relief
Entries	PG	NPT	Metric	PG Part#	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M
2 Entries	21	3/4"	25	10.1050	10.1050NP	19.1050	70.1380	70.1380NP	79.1380	
1 Entry	21	3/4"	25	10.1040	10.1040NP	19.1040	70.1370	70.1370NP	79.1370	



EMC PROTECTION


	PG/NPT	Metric
Panel Mount Base	70.3503	79.3503
Surface Mount & Cable Coupler Hood	70.3523	79.3523

EMC Shielding is retrofittable.



HBE 24 HIGH PROFILE SURFACE MOUNT BASES WITH DOUBLE LEVERS






All dimensions are in mm.


Position of	Siz	e of	Entry	Standard Grey Coating			Black C	oating (NE	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
2 Entries	21	3/4"	25	70.1362	70.1362NP	79.1362	70.1382	70.1382NP	79.1382		
	29	1"	32	70.1364	70.1364NP	79.1364	70.1384	70.1384NP	79.1384		
1 Entry	21	3/4"	25	70.1352	70.1352NP	79.1352	70.1372	70.1372NP	79.1372		
	29	1"	32	70.1354	70.1354NP	79.1354	70.1374	70.1374NP	79.1374		

HBE 24 CABLE COUPLER HOOD WITH DOUBLE LEVERS

STANDARD PROFILE








HIGH PROFILE

	ΑII	dime	ensions	are	in	mm.
--	-----	------	---------	-----	----	-----

Duefile	Siz	e of l	Entry	Standard Grey Coating			Black C	oating (NE	MA 4X)	Strain Relief	
Profile	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NP	
Standard	21	3/4"	25	10.1270	10.1270NP	19.1270	70.1410	70.1410NP	79.1410		\triangle
	29	1"	32	10.1170	10.1170NP	19.1170	70.1412	70.1412NP	79.1412		lack
High Profile	21	3/4"	25	70.1404	70.1404NP	79.1404	70.1414	70.1414NP	79.1414		
	29	1"	32	70.1406	70.1406NP	79.1406	70.1416	70.1416NP	79.1416		

Metric hoods do not come with a neck.


HBE 24 STANDARD PROFILE HOODS WITH DOUBLE LEVERS



Position of	Siz	e of l	Entry	Standard Grey Coating			Black Coating (NEMA 4X)			Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
Top Entry	21	3/4"	25	10.1220	10.1220NP	19.1220	70.1560	70.1560NP	79.1560		
	29	1"	32	10.1120	10.1120NP	19.1120	70.1562	70.1562NP	79.1562		
Side Entry	21	3/4"	25	10.1140	10.1140NP	19.1140	70.1580	70.1580NP	79.1580		
	29	1"	32	10.1240	10.1240NP	19.1240	70.1582	70.1582NP	79.1582		

Metric hoods do not come with a neck.

HBE 24 HIGH PROFILE HOODS WITH DOUBLE LEVERS




Position of	Siz	e of	Entry	Standard Grey Coating			Black C	oating (NE	MA 4X)	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT	
Top Entry	21	3/4"	25	70.1554	70.1554NP	79.1554	70.1564	70.1564NP	79.1564		$\overline{f A}$
	29	1"	32	70.1556	70.1556NP	79.1556	70.1566	70.1566NP	79.1566		lacksquare
Side Entry	21	3/4"	25	70.1574	70.1574NP	79.1574	70.1584	70.1584NP	79.1584		
	29	1"	32	70.1576	70.1576NP	79.1576	70.1586	70.1586NP	79.1586		\triangle

Metric hoods do not come with a neck.

HBE 24 PANEL MOUNT BASES WITH DOUBLE LEVER BOLTS






All dimensions are in mm.


Description	Standard Grey Coating	Black Coating (NEMA 4X)
Panel Mount with Dust cover	10.1030	70.1335
Panel Mount without cover	10.1031	-

HBE 24 SURFACE MOUNT BASES WITH DOUBLE LEVER BOLTS HIGH PROFILE

STANDARD PROFILE







All dimensions are in mm					
	۸ ۱۱ ۸	dimonoiono	000	in	mm


# of	Siz	e of	Entry	Stand	ard Grey C	oating	Black Coating (NEMA 4X)			Strain Relief	
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG Part #	NPT Part #	Metric Part #	PG NPT M	
2 Entries	21	3/4"	25	10.1090	10.1090NP	19.1090	70.1480	70.1480NP	79.1480		
1 Entry	21	3/4"	25	10.1070	10.1070NP	19.1070	70.1470	70.1470NP	79.1470		
High Profile	21	3/4"	25	70.1462	70.1462NP	79.1462	70.1482	70.1482NP	79.1482		
with 2 Entries	29	1"	32	70.1464	70.1464NP	79.1464	70.1484	70.1484NP	79.1484		
High Profile	21	3/4"	25	70.1452	70.1452NP	79.1452	70.1472	70.1472NP	79.1472		
with 1 Entry	29	1"	32	70.1454	70.1454NP	79.1454	70.1474	70.1474NP	79.1474		



EMC PROTECTION


	PG/NPT	Metric
	70.3503	
Surface Mount & Cable Coupler Hood	70.3523	79.3523


EMC Shielding is retrofittable.



HDD 144 CRIMP TERMINATED: MACHINE CONTACT INSERTS







These inserts fit in the HBE 32 Series Housings which are on the following pages.

	Plug	Receptacle
#1-72	11.2852	11.2862
#73-144	11.2854	11.2864

All dimensions are in mm.

Contacts Sold Separately

Panel Cut-Out

HDD MACHINED CONTACTS: DIAMETER 1.6 MM





	Bags of 100											
			Silve	r	Gold							
mm2	AWG	Pin	Socket	Stripping Length	Pin	Socket	Stripping Length					
0.14 - 0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8					
0.5	20	13.1621	13.1631	8	13.1626	13.1636	8					
0.75 - 1.0	18	13.1622	13.1632	8	13.1627	13.1637	8					
1.5	16	13.1623	13.1633	8	13.1628	13.1638	8					
2.5	14	13.1624	13.1634	5.8	-	-	-					

TOOLS





Locator 11.1472



Crimp Dies 11.1471



Crimp Tool 11.1470





Removal Tool: 11.1610

HBE 32 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS











Metric hoods do not come with a neck.

Position of	Size of Entry			Standa	Strain Relief		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	29	1"	32	10.1340	10.1340NP	19.1340	
Side Entry	21 29	3/4" 1"	25 32	10.1350 10.1360	10.1350NP 10.1360NP	19.1350 19.1360	


All dimensions are in mm.


HBE 32 PANEL MOUNT BASES WITH DOUBLE LEVERS



Standard Grey Coating 10.1320


All dimensions are in mm.





HBE 32 SURFACE MOUNT BASE WITH DOUBLE LEVERS






# of	Size of Entry			Standa	Strain Relief				
Entries	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG NPT M		
2 Entries	29	1"	32	10.1380	10.1380NP	19.1380			
1 Entry	29	1"	32	10.1370	10.1370NP	19.1370			

All dimensions are in mm.

HBE 32 HIGH PROFILE HOODS WITH DOUBLE LEVER BOLTS









Metric hoods do not come with a neck.

Position of	Size of Entry			Standard Grey Coating				Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #		IPT M	
Top Entry	29	1"	32	10.1340	10.1340NP	19.1340			
Side Entry	21 29	3/4" 1"	25 32	10.1350 10.1360	10.1350NP 10.1360NP	19.1350 19.1360			


All dimensions are in mm.

HBE 32 PANEL MOUNT BASES WITH DOUBLE LEVERS



Standard Grey Coating

All dimensions are in mm.



HBE 32 SURFACE MOUNT BASE WITH DOUBLE LEVERS




# of	Siz	e of	Entry	Standard Grey Coating				
Entries	PG	NPT	Metric	PG Part#	NPT Part #	Metric Part #		
2 Entries	29	4"			10.1380NP	19.1380		
	29	ı	32	10.1360	10.1300INP	19.1300		
1 Entry	29	1"	32	10.1370	10.1370NP	19.1370		

All dimensions are in mm.

HBE 32 CABLE COUPLER WITH DOUBLE LEVERS

Siz	e of E	Entry	Standa	Strain Relief		
			PG NPT Metric		Iteliei	
PG	NPT	Metric	Part #	Part #	Part #	PG NPT M
29	1"	32	10.1395	10.1395NP	19.1395	


All dimensions are in mm.




HBE 32 HOOD WITH SINGLE LEVER BOLTS

TOP ENTRY SIDE ENTRY










Metric hoods do not come with a neck.

Position of	Size of Entry			В	Black Coating			
Cable Entry			Metric	PG Part #	NPT Part #	Metric Part #	Relic	
Top Entry	29	1"	32	10.1340SB	10.1340SBNP	19.1340SB		Δ
Side Entry	21 29	3/4" 1"			10.1350SBNP 10.1360SBNP			

All dimensions are in mm.

HBE 32 PANEL MOUNT BASE WITH SINGLE LEVER






Part # 10.1320-L

^{*} Please note that these hoods and base are not EP.

HDD 216 CRIMP TERMINATED: MACHINE CONTACT INSERTS





These inserts fit in the HBE 48 Series Housings which are on the following pages.

Plug Receptacle #1-108 11.2853 11.2863 **#109-216** 11.2855 11.2865

All dimensions are in mm.

Contacts Sold Separately

Panel Cut-Out



HDD MACHINED CONTACTS: DIAMETER 1.6 MM





	Bags of 100											
			Silve	er	Gold							
mm2	AWG	Pin	Socket	Stripping Length	Pin	Socket	Stripping Length					
0.14 - 0.37	26 - 22	13.1620	13.1630	8	13.1625	13.1635	8					
0.5	20	13.1621	13.1631	8	13.1626	13.1636	8					
0.75 - 1.0	18	13.1622	13.1632	8	13.1627	13.1637	8					
1.5	16	13.1623	13.1633	8	13.1628	13.1638	8					
2.5	14	13.1624	13.1634	5.8	-	-	-					

TOOLS





11.1472



Crimp Dies 11.1471



Crimp Tool 11.1470





Removal Tool: 11.1610

HBE 48 HOODS WITH SINGLE LEVER BOLTS












All dimensions are in mm.


Position of	Size of Entry			Standa	oating	Strain Relief	
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	PG NPT M
Top Entry	29 36	1" 1 1/4"	32 40	10.1550 10.1560	10.1550NP 10.1560NP	19.1550 19.1560	
Side Entry	42	- 1"	50	10.1570	- 40.4500ND	19.1570	
Side Entry	29 36 42	1 1 1/4" -	32 40 50	10.1580 10.1590 10.1600	10.1580NP 10.1590NP -	19.1580 19.1590 19.1600	

Metric hoods do not come with a neck.

HBE 48 PANEL MOUNT BASES WITH SINGLE LEVER








All dimensions are in mm.

	With Dust Cover	With Dust Cover		
	with hold down screws with hold down screw			
Without Dust Cover	and no dust cover bolts	and dust cover bolts		
10.1610	10.1520	10.1525		




HBE 48 SURFACE MOUNT BASES WITH LEVERS









All dimensions are in mm.

Position of	Size of Entry		Standard Grey Coating			Strain		
Cable Entry	PG	NPT	Metric	PG Part #	NPT Part #	Metric Part #	Relief	M
2 Entries	29	1"	32	10.1660	10.1660NP	19.1660		$\overline{\mathbf{A}}$
	36	1 1/4"	40	10.1661	10.1661NP	19.1661		$\overline{\Delta}$
1 Entry	29	1"	32	10.1650	10.1650NP	19.1650		$\overline{\mathbf{A}}$
	36	1 1/4"	40	10.1651	10.1651NP	19.1651		$\overline{\Delta}$
2 Entries with	29	1"	32	10.1680	10.1680NP	19.1680		$\overline{\mathbf{A}}$
dust cover	36	1 1/4"	40	10.1681	10.1681NP	19.1681		Δ
1 Entry with	29	1"	32	10.1670	10.1670NP	19.1670		Δ
dust cover	36	1 1/4"	40	10.1671	10.1671NP	19.1671		Δ